

Storage module for small components - 4 compartments



- 4 compartments of 2 different sizes for organised storage of fasteners, lugs, rivets and gaskets.
- Compatible with BP.MBOXS boxes.

Width l [mm]	L [mm]	ΔΔ [g]
188	107	136

Storage module for small components - 12 compartments



- 12 compartments of 3 different sizes for organised storage of fasteners, lugs, rivets and gaskets.
- Compatible with BP.MBOXL boxes.

Width l [mm]	L [mm]	ΔΔ [g]
188	417	360


Storage module for small components - 9 compartments



- 9 compartments of 3 different sizes for organised storage of fasteners, lugs, rivets and gaskets.
- Compatible with BP.MBOXM boxes.

Width l [mm]	L [mm]	ΔΔ [g]
188	417	275

Foam trays 3-3 to be cut



- 3 modules:
- High density dual color foam tray to be cut according to your needs.
- Dimensions: L.569 X D.420 mm.

H [mm]	Width l [mm]	L [mm]	ΔΔ [g]
45	420	569	80


ROLLER CABINET ACCESSORIES

Storage set for small components in foam tray

- Compartments of different sizes for organised storage of fasteners, lugs, rivets and gaskets.



H [mm]	Width l [mm]	L [mm]	ΔΔ [g]
45	420	418	76



FLUO

Rfid

HOW SHOULD STORAGE TRAYS BE USED WITH OUR THERMOFORMED MODULES?

**INFORMATION**  
For XL modules  
(thermoformed and foam),  
storage trays are not necessary.

**Roller cabinets until 2005**



**Roller cabinets from 2006**



- If you have separable modules, remove the break-off part and fit your modules.
- If you have older non separable modules, just position them.

Add the PL.636 gutter  
at the front and back  
of your drawer.



**With separable modules**  
Fit your modules  
and the PL.655 tray  
to the right or left  
of your drawer.



**With older non separable modules**  
Install your modules, the PL.655 tray  
on the side and the PL.656 tray to  
the front or back of the drawer.



Storage tray



- For securing modules and storing small tools and components.

	$\Delta\Delta$ [g]
PL.636	150

Side storage tray for XL drawer

- For securing modules and storing small tools and components.
- Fitted to the right or left of the drawer.
- For JET+, JETXL, CHRONOXL drawer.



	ΔΔ [g]
PL.655	56

Front storage tray for XL drawer

- For securing modules and storing small tools and components.
- Fitted to the front or back of the drawer.
- For JET+, JETXL, CHRONOXL drawer.



	ΔΔ [g]
PL.656	98

Front storage tray for JET+M4 drawer

- For securing modules and storing small tools and components.
- Fitted to the front or back of the drawer.
- For JET+ drawer with 4 modules.



	ΔΔ [g]
PL.656M4	98

Front storage tray for JET+M5 drawer

- For securing modules and storing small tools and components.
- Fitted to the front or back of the drawer.
- For JET+ drawer with 5 modules.



	ΔΔ [g]
PL.656M5	98



FLUO

RFid



JETLINE+ SYSTEM



**More modularity**

- Work, organize, share, and communicate.

**More space**

- Multiple possibilities to maximize use of our space.

**More freedom**

- Freely reorganize your workshop and create your ideal layout.


**More comfort**

- A genuinely pleasant work place!



**Zero constraints with its self-supporting structure**

- Imperatives such as water supplies, power supplies, thresholds, windows and doors cannot be moved.
- With its self-supporting structure, imagine your layout freely.
- Create star-shaped, back to back, U-shaped poles... the only limit is your imagination!



**All the small details make the difference**



**High modularity**

- Assembly kits available in two sizes: 400 and 800 mm.
- 1- For a half-element or a high unit.
  - 2- For 2 stacked elements.



- **Perfect finish** with the new tray adjustment system and the finish cheek to be fastened at the top of the tray.



- **Trays pre-drilled** for passing the tubes. The units are fitted with jointed jacks for easy and fast adjustment and ensuring perfect stability.
- **Easy to use:** single key option upon request by means of interchangeable cylinders.

JETLINE+ SYSTEM

Make your life easier by organizing and using all your space!

**Shutter unit**  
Visibility and access

**Computer cabinet**  
Screen protection

**Chest with door on jacks**

**LED ramp**  
Natural lighting

**Solid door and drawer unit**  
Multiple tool organization

**Glazed door unit**  
Instant content check

**Open chest**  
Fast access

**Vertical drawer unit**

**Cabinet Locker storage**

**Sliding door double cabinet**

**Computer cabinet**  
Keyboard, PC and printer

**Drawer unit**  
Optimized tooling storage

**3 finishes:**

- Multiple linseed oil treated wood
- Multiple wood + brushed stainless steel
- Metal coated with rubber

**Foot**

**Cross beam**  
Reinforcement or storage as chosen

**Energy unit**  
Air and electricity handy

**A well-organized space:** a specific place for every object, no time wasted searching for them.

Your roller cabinet finally has its place under the worktop (in high version 1025 mm).

A comfortable and organized work space, for genuinely pleasant work!

1025 mm

850 mm

Just add a raising base to elevate to 1025 mm. Ideal for working standing up and optimize the organization space.

**It's up to you!**  
Design your perfect workshop...

**Our configurator**

Download the Jetline+ System Configurator 3D (Windows version) from our web site [www.facom.com](http://www.facom.com) and design your own customized work space.

- Products in the range
- 2D view
- 3D view
- Your product list

FLASH THIS QR CODE FOR DIRECT ACCESS TO OUR MINI-SITE JETLINE+

**Your customization**  
A workshop in your own colour scheme

Extend customization further by choosing your furniture's colour scheme (RAL colours)



BASE UNITS JETLINE+

Jetline+ base units - 6 drawers



- 4 drawers : 60 mm high = 12 modules.
- 1 drawer : 130 mm high = 3 modules.
- 1 drawer : 270 mm high.
- Drawer useful size: L.569 x D.421 x H.60 mm.
- Supplied with 3 sets of partitions for drawers 60 mm high and 1 set of partitions for drawers 130 mm high.
- Centralized locking, jointed keylock. Interchangeable lock.
- Fitted with 4 pivoting jacks for a perfect finishing.
- Overall dimensions: L722 x D701 x H810 (H985 mm with raising base JLS2-BASEMBS).



	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-MBS6T</b>	810	722	701	Black 9004 Red 3020	79.0

Jetline+ base units - 7 drawers



- 5 drawers : 60 mm high = 15 modules
- 1 drawer : 130 mm high = 3 modules
- 1 drawer : 270 mm high
- Drawer useful size: L.569 x D.421 x H.60 mm.
- Supplied with 3 sets of partitions for drawers 60 mm high and 1 set of partitions for drawers 130 mm high.
- Centralized locking, jointed keylock. Interchangeable lock.
- Fitted with 4 pivoting jacks for a perfect finishing.
- Overall dimensions: L722 x D701 x H810 (H985 mm with raising base JLS2-BASEMBS).




	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-MBS7T</b>	810	722	701	Black 9004 Red 3020	82.5

## JETLINE+ BASE UNIT WITH DRAWERS AND DOORS

### Jetline+ base unit, double 5 drawers



- 2 drawers 60 mm high = 12 modules + free space of 15 cm.
- 2 drawer 130 mm high = 12 modules + free space of 15 cm.
- 1 drawer 270 mm high.
- Useful size of the drawers: L. 1296 x D.421mm x H.60/130/200 mm.
- Supplied with 8 partitions for 60 mm drawers and 8 partitions for 130 mm drawer.
- Centralized keylock (interchangeable cylinder).
- Fitted with 4 jack-mounted swivel feet for perfect adjustment.
- Overall dimensions: L.1449 x D.701 x H.810 mm (H.985 mm with the JLS2-BASEMBD riser).



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MB05T	810	1449	701	Black 9004 Red 3020	132

### Jetline+ base unit, double 6 drawers



- 4 drawers 60 mm high = 24 modules + free space of 15 cm.
- 1 drawer 130 mm high = 6 modules + free space of 15 cm.
- 1 drawer 270 mm high.
- Useful size of the drawers: L. 1296 x D.421mm x H.60/130/200 mm.
- Supplied with 12 partitions for 60 mm drawers and 4 partitions for 130 mm drawer.
- Centralized keylock (interchangeable cylinder).
- Fitted with 4 jack-mounted swivel feet for perfect adjustment.
- Overall dimensions: L.1449 x D.701 x H.810 mm (H.985 mm with the JLS2-BASEMBD riser).



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MB06T	810	1449	701	Black 9004 Red 3020	132



BASE UNITS JETLINE+

Jetline+ base units - 2 vertical drawers




- 2 vertical drawers with perforated panels with square holes that can be used on either side.
- Flexible attachment of stored items thanks to a wide range of hooks. (see F13).
- Panels dimension 600 x 600 mm.
- Useful storage surface : 1,6 m2.
- Load resistance : 75 kg per drawer.
- Centralized locking system + interlock system to prevent multiple panels from being withdrawn.
- Fitted with 4 pivoting jacks for a perfect finishing.
- You can also stack 2 JLS2-MBSTV on, with a wooden top or a stainless top (metal top is forbidden).
- Dimensions : L722 x D701 x H 810 mm (H 985 mm with raising base JLS2-BASEMBS).



Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MBS2TV	810	722	701	Black 9004 Red 3020	70.0

Jetline+ base units glazed doors



- Transparent doors allow to quickly check contents and cleanless.
- 2 transparent swinging doors in plexiglas, thickness 3mm, mounted on invisible pin hinges offering a 110-degree opening. The doors are tested for 10,000 opening/closing cycles.
- 1 epoxy painted shelf adjustable in height (100 mm steps) withstanding 50 kg loads.
- Unit fitted with jack feet for an adjustment ensuring perfect stability regardless of the type of floor.
- Keylock, supplied with 2 keys, including 1 jointed. Interchangeable lock.
- Overall dimensions : L722 x D701 x H810 mm (H 985 mm with the raising base JLS2-BASEMBS).



Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MBSPV	810	722	701	Black 9004 Red 3020	55.7



▪ **Jetline+ base units full doors**

- 2 swinging doors , thickness 3mm, mounted on invisible pin hinges offering a 110-degree opening. The doors are tested for 10,000 opening/closing cycles.
- 1 epoxy painted shelf adjustable in height (100 mm steps) withstanding 50 kg loads.
- Unit fitted with jack feet for an adjustment ensuring perfect stability regardless of the type of floor.
- Keylock, supplied with 2 keys, including 1 jointed. Interchangeable lock
- Overall dimensions : L722 x D701 x H810 mm (H 985 mm with the raising base JLS2-BASEMBS).



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-MBSPP</b>	810	722	701	Black 9004 Red 3020	57.5

▪ **Jetline+ base units double full doors**

- The double unit can be used for storing tools and/or items which are too long and bulky for standard units.
- With minimal door volumes, the sliding opening is perfect for small spaces.
- 2 metal sliding panels.
- 1 epoxy painted shelf adjustable in height (100 mm steps) withstanding 75 kg loads.
- Unit fitted with jack feet for an adjustment ensuring perfect stability regardless of the type of floor.
- Keylock, supplied with 2 keys, including 1 jointed. Interchangeable lock.
- Overall dimensions : L1449 x D701 x H810mm. (H985 mm with the raising base JLS2-BASEMBD).



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-MBOPP</b>	810	1449	701	Black 9004 Red 3020	84.7



FLUO

RFid



BASE UNITS JETLINE+

Jetline+ base units computer station



- Computer cabinets protect electronic equipment in dusty and dirty surroundings. Base unit for laptop, printer, keyboard, mouse.
- Lockable 60 mm keyboard or laptop drawer with full extension.
  - Pull-out mouse shelf (can be positioned on right or left side).
  - 2 swing-out doors.
  - 1 adjustable pull-out shelf to receive a computer unit or printer.
  - 1 power supply, consisting of a 6 SCHUKO sockets outlet with illuminated switch.
  - Centralized locking system.
  - Can be completed with the upper part JLS2-MHSPC. Use only metal worktops which are dedicated to this station (integrated holes for cables).
  - Fitted with 4 jack feet for an adjustment ensuring perfect stability regardless of the type of floor.
  - Overall Dimensions : L722 x D701 x H810 mm.  
(H985 mm with raising base JLS2-BASEMBS).



	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MBSPC	810	722	701	Black 9004 Red 3020	57.7

Jetline+ base units, technical unit



- Upper part :
- Electrical duplex outlet allowing customers to install 3 sockets 45mm (Supplied without sockets) (including black covers).
  - 1 drawer height 200 mm, fitted with a SCHUKO outlet (6 sockets) to recharge tools, lighting, mobile phone, laptop, etc
- Lower part :
- Two 14 meters cable reels for compressed air and power supply roller guides for smooth cables extension and extraction.
  - Quick release concealment panel to enclose and conceal the reels. Easy access to the reels.
  - Cable management keeps everything tidy and meets the highest requirements.
  - Centralized locking, jointed keylock. Interchangeable lock.
  - Fitted with 4 pivoting jacks for a perfect finishing.
  - Overall Dimensions : L722 x D701 x H810 mm  
(H 985 mm with the raising base JLS2-BASEMBS).



	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MBSEN	810	722	701	Black 9004 Red 3020	69.6

## Jetline+ raising base


- To increase the height from 850 to 1025 mm (including 40 mm worktop).
- Epoxy painted sheet steel (thickness 12/10th).
- Has to be fitted with the 4 pivoting jacks delivered with the base unit for a perfect finishing.



Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-BASEMBS	180	720	699	Black 9004	15.5

## Jetline+ double unit

- To increase the height from 850 to 1025 mm (including 40 mm worktop).
- Epoxy painted sheet steel (thickness 12/10th).
- Has to be fitted with the 4 pivoting jacks delivered with the base unit for a perfect finishing.



Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-BASEMBD	180	1447	699	Black 9004	19.0



FLUO

RFid



TOP UNITS JETLINE+

Jetline+ top units single glazed doors



- Transparent doors allow you to quickly check contents and cleanliness.
- 2 transparent swinging doors in plexiglass, thickness 3 mm, mounted on invisible pin hinges offering a 110-degree opening.
- The doors are tested for 10,000 opening/closing cycles.
- 2 epoxy painted shelf adjustable in height (100 mm steps) withstanding 20 kg loads.
- Keylock, supplied with 2 keys, including 1 jointed. Interchangeable lock.
- Easy and fast fastening on a base unit using a "JLS2-TUBESUP 400" fitting kit.

FACOM	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MHSPV	810	719	278	Black 9004 Red 3020	26.0

Jetline+ top units single full doors



- 2 swinging doors, mounted on invisible pin hinges offering a 110-degree opening. The doors are tested for 10,000 opening/closing cycles.
- 2 epoxy painted shelf adjustable in height (100 mm steps) withstanding 20 kg loads.
- Keylock, supplied with 2 keys, including 1 jointed.
- Easy and fast fastening on a low unit thanks to the "KIT-TUBES" or "KIT-TUBESUP" fitting kit.

FACOM	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MHSPP	810	719	278	Black 9004 Red 3020	27.5

▪ **Jetline+ top unit single full doors and 1 drawer**



- Cabinet with vertical hanging and drawer sections.
- Vertical fastening part : Storage surface area: 1 m<sup>2</sup>. The base and sides of the cabinet, door liners, are perforated for hanging tools using the CKS system.
- Opening at 180° of the 2 swinging doors for maximum visibility and accessibility.
- Drawer section : 1 drawer with heavy-duty ball-bearing slides, 100% opening. Drawer useful dimensions : L.569 x H.60 x D.210 mm.
- Centralised locking of the doors and drawer by keylock.
- Easy and fast fastening on a base unit using a "JLS2-TUBESUP 400" fitting Kit.



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-2201	810	719	278	Black 9004 Red 3020	31.0

▪ **Jetline+ top unit computer station**



- Top unit dedicated to the protection of your monitor.
- 1 swinging door with viewing window made of 3 mm plexiglas for 23 inches flat-screen monitor.
  - 1 adjustable shelf - epoxy painted.
  - Can be installed on base unit JLS2-MBSPC to create a full computer station. In this case use only the metal worktop (JLS2-PM1).
  - Easy and fast fastening on a base unit using a "JLS2-TUBESUP 400" fitting kit.



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MHSPC	810	719	278	Black 9004 Red 3020	22.7



FLUO

RFid



TOP UNITS JETLINE+

Jetline+ top units single glazed doors



- Transparent doors allow you to quickly check contents and cleanliness.
- 2 transparent swinging doors in plexiglass, thickness 3 mm, mounted on invisible pin hinges offering a 110-degree opening.
- The doors are tested for 10,000 opening/closing cycles.
- 2 epoxy painted shelf adjustable in height (100 mm steps) withstanding 20 kg loads.
- Keylock, supplied with 2 keys, including 1 jointed. Interchangeable lock.
- Easy and fast fastening on a base unit using a "JLS2-TUBESUP 400" fitting kit.



Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MHDR	810	719	278	Black 9004 Red 3020	26.0

Jetline+ top units single full doors



- 2 swinging doors, mounted on invisible pin hinges offering a 110-degree opening. The doors are tested for 10,000 opening/closing cycles.
- 2 epoxy painted shelf adjustable in height (100 mm steps) withstanding 20 kg loads.
- Keylock, supplied with 2 keys, including 1 jointed.
- Easy and fast fastening on a low unit thanks to the "KIT-TUBES" or "KIT-TUBESUP" fitting kit.



Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MHTR	810	719	278	Black 9004 Red 3020	27.5

▪ **Jetline+ single open chest**

- Open box for quick access. Ideal for storage of documents and/or consumables.
- Acceptable load 30 kg.
- Keylock.
- Easy and fast fastening on a base unit thanks to the JLS2- TUBESUP(800 ou 400) fitting kit.



	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-CHS</b>	405	719	278	Black 9004	8.5

▪ **Jetline+ double open chest**

- Open box for quick access. Ideal for storage of documents and/or consumables.
- Acceptable load 50 kg.
- Keylock.
- Easy and fast fastening on a base unit thanks to the JLS2- TUBESUP. (800 ou 400) fitting kit.



	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-CHD</b>	405	1446	278	Black 9004	14.0



**FLUO**

**RFid**



TOP UNITS JETLINE+

Jetline+ single full door chest



- Ideal for storage of documents and/or consumables.
- Metal sheet lift door fitted with gas struts tested for 10,000 opening/closing cycles.
- Acceptable load 30 kg.
- Centralized locking, jointed keylock. Interchangeable lock.
- Easy and fast fastening on a base unit thanks to the JLS2- TUBESUP (800 or 400) fitting kit.

FACOM	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-CHSPP	405	719	278	Black 9004 Red 3020	13.5

Jetline+ double full door chest



- Ideal for storage of documents and/or consumables.
- Metal sheet lift door fitted with gas struts tested for 10,000 opening/closing cycles.
- Acceptable load 50 kg.
- Centralized locking, jointed keylock. Interchangeable lock
- Easy and fast fastening on a base unit thanks to the JLS2- TUBESUP (800 or 400) fitting kit.

FACOM	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-CHDPP	405	1446	278	Black 9004 Red 3020	19.0



## STORAGE CABINETS JETLINE+

### Jetline+ one full door

- Low width for restricted spaces.
- For use as standard cabinet or as clothes locker.
- 1 swinging door, mounted on invisible pin hinges offering a 110-degree opening. The doors are tested for 10,000 opening/closing cycles.
- 3 epoxy painted shelves adjustable in height (100mm steps) withstanding 35 kg loads.
- 1 wardrobe bar for use as locker.
- Keylock, 2 points top and bottom.
- Overall dimensions : L500 x D509 x H1835 mm (feet 169 mm).



Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-A500PP	1835	500	509	Black 9004 Red 3020	70.0

### Jetline+ 2 full doors

- An indispensable cabinet for organized and effective storage of all tools and consumables.
- Swinging doors mounted on invisible pin hinges offering a 110-degree opening.
- The doors are tested for 10,000 opening/closing cycles.
- 3 epoxy painted shelves adjustable in height (100 mm steps) withstanding 75 kg loads.
- Keylock, 2 points top and bottom.
- Overall dimensions : L1000 x D509 x H1835 mm (feet 169 mm).



Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-A1000PP	1835	1000	509	Black 9004 Red 3020	102.0



FLUO

RFid



STORAGE CABINETS JETLINE+

Jetline+ 2 glazed doors




- Transparent doors allow you to quickly check contents and cleanliness.
- 2 transparent swinging doors in Plexiglas, thickness 3 mm, mounted on invisible pin hinges offering a 110-degree opening.
- The doors are tested for 10,000 opening/closing cycles.
- 3 epoxy painted shelves adjustable in height (100 mm steps) withstanding 75 kg loads.
- Keylock, 2 points top and bottom.
- Overall dimensions : L500 x D509 x H1835 mm (feet 169 mm).



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-A1000PV	1835	1000	509	Black 9004 Red 3020	95.0

FITTING PANELS JETLINE+

Jetline+ panels (800 mm) - L 724,5 mm




- Perforated panel: 6 x 6 mm in steps of 12 mm.
- Fixing of tools using the CKS range of hooks.
- Stacking of 2 half-panels possible.
- Made of Epoxy painted sheet steel (thickness 12/10ths)
- Colour red 3020.



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-PAV1	805	724.5	45	Red 3020	5.6

Jetline+ panel (800 mm) - L.1452 mm




- Perforated panel: 6 x 6 mm in steps of 12 mm.
- Fixing of tools using the CKS range of hooks.
- Stacking of 2 half-panels possible.
- Made of Epoxy painted sheet steel (thickness 12/10ths)
- Colour red 3020.



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-PAV2	805	1452	45	Red 3020	10.6


▪ **Jetline+ half panels (400 mm) - L.724,5 mm**



- Perforated panel: 6 x 6 mm in steps of 12 mm.
- Fixing of tools using the CKS range of hooks.
- Stacking of 2 half-panels possible.
- Made of Epoxy painted sheet steel (thickness 12/10ths).
- Colour red 3020.

⇒	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-PPAV1</b>	403	724.5	45	Red 3020	3.1

▪ **Jetline+ half panels (400 mm) - L.1452 mm**



- Perforated panel: 6 x 6 mm in steps of 12 mm.
- Fixing of tools using the CKS range of hooks.
- Stacking of 2 half-panels possible.
- Made of Epoxy painted sheet steel (thickness 12/10ths).
- Colour red 3020.

⇒	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-PPAV2</b>	403	1452	45	Red 3020	6.2


▪ **Jetline+ half panels (400 mm)**



- Perforated panel: 6 x 6 mm in steps of 12 mm.
- Fixing of tools using the CKS range of hooks.
- Stacking of 2 half-panels possible.
- Made of Epoxy painted sheet steel (thickness 12/10ths)
- Colour red 3020.
- Fitted with a block of 6 SCHUKO sockets with on-off switch.

⇒	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-PPAV1ELEC</b>	403	724.5	45	Red 3020	4.1

▪ **Jetline+ corner half panels (400mm)**



- Perforated panel: 6 x 6 mm in steps of 12 mm.
- Fixing of tools using the CKS range of hooks.
- Made of Epoxy painted sheet steel (thickness 12/10ths)
- Colour red 3020.
- Stacking of 2 half-panels possible.

⇒	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>JLS2-PPAVA</b>	403	1036	45	Red 3020	4.4



WOODEN WORKTOPS JETLINE+

Jetline+ wooden worktop - L 727 mm



- Wooden panel made of multi-ply beech.
- Thickness 40 mm for strength and durability.
- Linseed oil treatment for improved resistance to liquids and easy maintenance.
- Fast and easy assembly thanks to pre-drilled metallic inserts positions.
- Load resistance : 500 kg pour JLS2-PB1.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
JLS2-PB1	40	727	750	17.9

Jetline+ wooden worktop - L 1455 mm



- Wooden panel made of multi-ply beech.
- Thickness 40 mm for strength and durability.
- Linseed oil treatment for improved resistance to liquids and easy maintenance.
- Fast and easy assembly thanks to pre-drilled metallic inserts positions.
- Load resistance : 1 Tonne pour JLS2-PB2.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
JLS2-PB2	40	1455	750	35.2

Jetline+ wooden worktop - L 2182 mm



- Wooden panel made of multi-ply beech.
- Thickness 40 mm for strength and durability.
- Linseed oil treatment for improved resistance to liquids and easy maintenance.
- Fast and easy assembly thanks to pre-drilled metallic inserts positions.
- Load resistance : 1 Tonne pour JLS2-PB3.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
JLS2-PB3	40	2182	750	52.7


Jetline+ corner worktop



- Wooden panel made of multi-ply beech.
- Thickness 40 mm for strength and durability.
- Linseed oil treatment for improved resistance to liquids and easy maintenance.
- Fast and easy assembly thanks to pre-drilled metallic inserts positions.
- Load resistance : 100 kg.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
JLS2-PBA	40	750	750	8.6

▪ **Jetline+ wooden and stainless worktop corner**



- Panel made of multi-ply beech of thickness 40 mm covered with 10/10th 304L brushed stainless steel for improved impact and heat resistance  
KEY POINTS (edge also covered - painted metal cover for the sides).  
Sides will be protected by a finishing painted metal sheet.
- Fast and easy assembly thanks to pre-drilled metallic inserts positions.
- Capable of supporting loads: 500 kg.

📏	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>JLS2-PBST1</b>	40	727	805	22.6


▪ **Jetline+ wooden and stainless worktop, 1455 mm**



- Panel made of multi-ply beech of thickness 40 mm covered with 10/10th 304L brushed stainless steel for improved impact and heat resistance  
KEY POINTS (edge also covered - painted metal cover for the sides).  
Sides will be protected by a finishing painted metal sheet.
- Fast and easy assembly thanks to pre-drilled metallic inserts positions.
- Capable of supporting loads: 1 Ton.

📏	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>JLS2-PBST2</b>	40	1455	750	44.5

▪ **Jetline+ wooden and stainless worktop, 2182 mm**



- Panel made of multi-ply beech of thickness 40 mm covered with 10/10th 304L brushed stainless steel for improved impact and heat resistance  
KEY POINTS (edge also covered - painted metal cover for the sides).  
Sides will be protected by a finishing painted metal sheet.
- Fast and easy assembly thanks to pre-drilled metallic inserts positions.
- Capable of supporting loads: 1 Ton.

📏	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>JLS2-PBST3</b>	40	2182	750	66.6

▪ **Jetline+ corner workshop**



- Panel made of multi-ply beech of thickness 40 mm covered with 10/10th 304L brushed stainless steel for improved impact and heat resistance  
KEY POINTS (edge also covered - painted metal cover for the sides).  
Sides will be protected by a finishing painted metal sheet.
- Fast and easy assembly thanks to pre-drilled metallic inserts positions.
- Capable of supporting loads: 100 kg.

📏	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>JLS2-PBAST</b>	40	750	750	10.6



**FLUO**

**RFid**



WOODEN WORKTOPS JETLINE+

Jetline+ metal worktop, 727 mm



- Metal panel covered with a non slipping rubber mat.
- Perfect for the computer station, the worktop is integrating dedicated holes for cables. When you are using the computer unit JLS2-MBSPC alone (lower part), you can install your screen, without threads laying around. When you combine the base unit JLS2-MBSPC and the monitor cabinet JLS2-MHSPC, the passage of cables is done directly and discreetly.
- Epoxy painted (red RAL 3020).
- Fast and easy assembly.

Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-PM1	40	727	750	Red 3020	10.0

Jetline+ metal worktop, 1455 mm



- Metal panel covered with a non slipping rubber mat.
- Perfect for the computer station, the worktop is integrating dedicated holes for cables. When you are using the computer unit JLS2-MBSPC alone (lower part), you can install your screen, without threads laying around. When you combine the base unit JLS2-MBSPC and the monitor cabinet JLS2-MHSPC, the passage of cables is done directly and discreetly.
- Epoxy painted (red RAL 3020).
- Fast and easy assembly.
- Capable of supporting loads: 250 kg.

Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-PM2	40	1455	750	Red 3020	21.0

FEET - CROSS BEAMS JETLINE+

Jetline+ feet, 850 mm



- Foot made of Epoxy painted sheet steel (thickness 12/10ths).
- Equipped with feet with jack for adjustment giving complete stability, irrespective of the type of floor.

Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-PSB	810	100	650	Black 9004	15.5

Jetline+ feet, 1025 mm



- Foot made of Epoxy painted sheet steel (thickness 12/10ths).
- Equipped with feet with jack for adjustment giving complete stability, irrespective of the type of floor.

Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-PSH	985	100	650	Black 9004	19.0

## Jetline+ cross beam 2 feet



- Multifunctions cross beam : connecting, reinforcement and storage space.
- 2 possible positions : In horizontal position, the cross becomes a real shelf that can receive objects heavy and bulky in. In vertical position, for 1025 height sets, the cross ensures connection between the units and let some space for your roller cabinet.
- Made of Epoxy painted sheet steel (thickness 12/10ths). Colour red 3020.




Ref	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-TRAA2	400	1053	40	Red 3020	6.2
JLS2-TRAA3	400	1780	40	Red 3020	10.3

## Jetline+ cross beam 1 feet - 1 base



- Multifunctions cross beam : connecting, reinforcement and storage space.
- 2 possible positions : In horizontal position, the cross becomes a real shelf that can receive objects heavy and bulky in. In vertical position, for 1025 height sets, the cross ensures connection between the units and let some space for your roller cabinet.
- Made of Epoxy painted sheet steel (thickness 12/10ths). Colour red 3020.




Ref	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-TRAB2	400	530	40	Red 3020	3.3
JLS2-TRAB3	400	1256	40	Red 3020	7.4

## Jetline+ cross beam 2 base units



- Multifunctions cross beam : connecting, reinforcement and storage space.
- 2 possible positions : In horizontal position, the cross becomes a real shelf that can receive objects heavy and bulky in. In vertical position, for 1025 height sets, the cross ensures connection between the units and let some space for your roller cabinet.
- Made of Epoxy painted sheet steel (thickness 12/10ths). Colour red 3020.



Ref	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-TR8B3	400	733	40	Red 3020	4.4



FLUO

Rfid



FITTING KITS - ACCESSORIES JETLINE+

Jetline+ Fitting kits (400mm)



- JLS2-TUBESUP are made of 2 epoxy painted metallic tubes with fitting system under worktop.
- Dimensions : diameter 30 mm / lenght : 585 mm.

Code	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-TUBESUP400	585	30	Black 9004	2.0

Jetline+ Fitting kits (800mm)



- JLS2-TUBESUP are made of 2 epoxy painted metallic tubes with fitting system under worktop.
- Dimensions : diameter 30 mm / lenght : 585 - 990 mm.

Code	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-TUBESUP800	990	30	Black 9004	2.8

Jetline+ key



- Only one key for all your units Jetline+
- Interchangeable lock – Easy and fast to install.
- This option is free if you asked for it when you order your furniture. Otherwise, you will need to order the barrel in spare part.

Code	ΔΔ [g]
JLS2-1KEY	200

Jetline+ lighting



- Rampe LED.
- 18w – 1150 LUMEN.
- 30,000 hours.
- Natural Light.
- Possible to connect few banks together.

Code	H [mm]	L [mm]	P [mm]	ΔΔ [g]
JLS2-LIGHT	27	584	42	600



▪ **Jetline+**



- This metal support enables you to fix your lighting directly onto a verticalhooking panel (JLS2-PAV1, PAV2, ...).
- Epoxy painted steel black 9004.

	H [mm]	Width l [mm]	L [mm]	ΔΔ [kg]
<b>JLS2-LIGHTSUP</b>	73	170	722	2.2

▪ **Jetline+ cables channel**



- Made of galvanized steel. Used to hold cables making them discrete. Easy fitting by screws at the back at the worktop.

	H [mm]	Width l [mm]	L [mm]	ΔΔ [g]
<b>JLS2-TC</b>	35	40	727	100

▪ **Shelf for A500 cabinets**



- Metal sheet shelf and fastening kit.

	ΔΔ [kg]
<b>JLS2-A500PR.03</b>	2.65

▪ **Shelf for A1000 cabinets**



- Metal sheet shelf and fastening kit.

	ΔΔ [kg]
<b>A1000PR.04</b>	5.1



**FLUO**

**RFid**



JETLINE+ ASSEMBLY KIT AND ACCESSORIES

Single shelf for MBS low units



- Metal sheet shelf and fastening kit.

	$\Delta\Delta$ [kg]
JLS2-MBSPP.04	3.192

Single shelf for MHS high units



- Metal sheet shelf and fastening kit.

	$\Delta\Delta$ [kg]
JLS2-MHSPP.01	1.755

Interchangeable cylinder



	$\Delta\Delta$ [kg]
JLS2.02	0.200

Lock for A1000, A500 cabinets and MBS furniture units



- For cabinets A1000 and A500.
- For base units full doors JLS2-MBSPP, MBSPV.
- Cylinder + 2 keys.

	$\Delta\Delta$ [kg]
JLS2-A1000PP.05	0.200

Lock for MBS Drawer units



- Cylinder + 2 keys.

	$\Delta\Delta$ [kg]
JLS2-MBS.01	0.200

Lock for MBD base units



- Cylinder + 2 keys.

	$\Delta\Delta$ [kg]
JLS2-MBOPP.06	0.200

Shutter cabinet lock



- For cabinets JLS2-MHDR and JLS2-MHTR.
- Cylinder + 2 keys.

	$\Delta\Delta$ [kg]
JLS2-MHDR.06	0.200

HEAVY-DUTY WORKBENCHES



Heavy-duty workbench 2182 mm - 7 drawers - wooden worktop - low version



- Description:
- One 7-drawer unit JLS2-MBS7T:
  - 5 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 200 mm high.
  - Drawer useful size: L.569 x D.421 mm.
  - Single keylock.
  - Fitted with 4 jack-mounted swivel feet for perfect adjustment.
  - Overall dimensions: L.722 x D.701 x H.810 mm.
- 1 JLS2-PSB foot:
  - Foot made of epoxy painted sheet steel (thickness 12/10ths).
  - Fitted with jack-mounted swivel feet for adjustment providing complete stability irrespective of the type of floor.
  - Dimensions: L.100 mm x H.810 mm x D.650 mm.
  - Colour black 9004.
- A wooden worktop JLS2-PB3:
  - Depth 750 mm, thickness 40 mm ensuring resistance and durability.
  - Linseed oil treatment for improved resistance to liquids and ease of maintenance. Capable of supporting loads: 1 ton.
- A JLS2-TRAB3 cross-beam:
  - Multifunction cross beam: connecting, reinforcement and storage space, 2 possible positions: horizontal or vertical.
  - Made of epoxy painted sheet steel (thickness 12/10ths).



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-2MW7DL	850	2182	750	Red 3020 Black 9004	158.1

HEAVY-DUTY WORKBENCHES

Heavy-duty workbench 2182 mm - 7 drawers - stainless steel worktop - low version



- Description:
- One 7-drawer unit JLS2-MBS7T:
  - 5 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 200 mm high.
  - Drawer useful size: L.569 x D.421 mm
  - Centralized keylock
  - Fitted with 4 jack-mounted swivel feet for perfect adjustment.
  - Overall dimensions: L.722 x D.701 x H.810 mm
- 1 foot JLS2-PSB:
  - Foot made of epoxy painted sheet steel (thickness 12/10ths).
  - Fitted with jack-mounted swivel feet for adjustment providing complete stability irrespective of the type of floor.
  - Dimensions: L.100 mm x H.810 mm x D.650 mm.
  - Colour black 9004.
- A JLS2-PBST3 worktop:
  - Panel made of multi-ply beech of thickness 40 mm covered with 10/10th 304 L brushed stainless steel for improved impact and heat resistance (edge also covered - painted metal cover for the sides). Sides will be protected by a finishing painted metal sheet.
  - Fast and easy assembly thanks to pre-drilled metallic inserts positions. Capable of supporting loads: 1 ton.
- A JLS2-TRAB3 cross-beam
  - Multifunction cross beam: connecting, reinforcement and storage space, 2 possible positions: horizontal or vertical.
  - Made of epoxy painted sheet steel (thickness 12/10ths).

Code	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-2MS7DL	850	2182	750	Red 3020 Black 9004	172

Heavy-duty workbench 2182 mm - 7 drawers - wooden worktop - low version and shutter cabinet



- Workstation, made of a workbench and a shutter cabinet:
- Workbench JLS2-2MW7DL.
- Cabinet JLS2-MHTR.
- The vertical hook panels provide high visibility and direct access to the tools.

Code	Color	ΔΔ [kg]
JLS2-2MW7DSCL	Red 3020 Black 9004	190,8

■ **Heavy-duty workbench 2182 mm - 13 drawers - stainless steel worktop - low version**



- Description:
- One 6-drawer unit JLS2-MBS6T:
  - 4 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 270 mm high.
- One 7-drawer unit JLS2-MBS7T:
  - 5 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 200 mm high.
  - Drawer useful size: L.569 x D.421 mm.
  - Single keylock.
  - Fitted with 4 jack-mounted swivel feet for perfect adjustment.
  - Overall dimensions: L.722 x D.701 x H.810 mm.
- 1 JLS2-PSB foot:
  - Foot made of epoxy painted sheet steel (thickness 12/10ths).
  - Fitted with jack-mounted swivel feet for adjustment providing complete stability irrespective of the type of floor.
  - Dimensions: L.100 mm x H.810 mm x D.650 mm.
  - Colour black 9004.
- One JLS2-PBST3 worktop:
  - Panel made of multi-ply beech of thickness 40 mm covered with 10/10th 304 L brushed stainless steel for improved impact and heat resistance (edge also covered - painted metal cover for the sides). Sides will be protected by a finishing painted metal sheet.
  - Fast and easy assembly thanks to pre-drilled metallic inserts. Capable of supporting loads: 1 ton.
- A JLS2-TRBB3 cross-beam
  - Multifunction cross beam: connecting, reinforcement and storage space, 2 possible positions: horizontal or vertical.
  - Made of epoxy painted sheet steel (thickness 12/10ths).



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-2MS13DL	850	2182	750	Red 3020 Black 9004	232.5

■ **Heavy-duty workbench 2182 m - 13 drawers - wooden worktop - low version**



- Description:
- One 6-drawer unit JLS2-MBS6T:
  - 4 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 270 mm high.
- One 7-drawer unit JLS2-MBS7T:
  - 5 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 200 mm high.
  - Drawer useful size: L.569 x D.421 mm.
  - Single keylock.
  - Fitted with 4 jack-mounted swivel feet for perfect adjustment.
  - Overall dimensions: L.722 x D.701 x H.810 mm.
- 1 JLS2-PSB foot:
  - Foot made of epoxy painted sheet steel (thickness 12/10ths).
  - Fitted with jack-mounted swivel feet for adjustment providing complete stability irrespective of the type of floor.
  - Dimensions: L.100 mm x H.810 mm x D.650 mm.
  - Colour black 9004.
- A JLS2-PB3 wooden worktop:
  - Depth 750 mm, thickness 40 mm ensuring resistance and durability.
  - Linseed oil treatment for improved resistance to liquids and ease of maintenance. Capable of supporting loads: 1 ton.
- A JLS2-TRBB3 cross-beam:
  - Multifunction cross beam: connecting, reinforcement and storage space, 2 possible positions: horizontal or vertical.
  - Made of epoxy painted sheet steel (thickness 12/10ths).



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-2MW13DL	850	2182	750	Red 3020 Black 9004	218.6



FLUO

RFid



HEAVY-DUTY WORKBENCHES

Heavy-duty workbench 2182mm - 7 drawers - stainless steel or wooden worktop - high version



JLS2-2MW7DH



JLS2-2MS7DH

- Description:
  - One 7-drawer unit JLS2-MBS7T:
    - 5 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 200 mm high.
    - Drawer useful size: L.569 x D.421 mm.
    - Single keylock.
    - Fitted with 4 jack-mounted swivel feet for perfect adjustment.
    - Overall dimensions: L.722 x D.701 x H.810 mm.
  - 1 JLS2-PSH foot:
    - Foot made of epoxy painted sheet steel (thickness 12/10ths).
    - Fitted with jack-mounted swivel feet for adjustment providing complete stability irrespective of the type of floor.
    - Dimensions: L.100 mm x H.985 mm x D.650 mm.
    - Colour black 9004.
  - 1 low unit raising base JLS2-BASEMBS:
    - Base in 12/10th steel sheet.
    - Dimensions: L.720 mm x H.180 mm x D.699 mm.
    - Colour black 9004.
  - A wooden worktop JLS2-PB3
    - Depth 750mm, thickness 40 mm ensuring resistance and durability.
    - Linseed oil treatment for improved resistance to liquids and ease of maintenance. Capable of supporting loads: 1 ton.
  - One stainless steel worktop JLS2-PBST3:
    - Panel made of multi-ply beech of thickness 40 mm covered with 10/10th 304 L brushed stainless steel for improved impact and heat resistance (edge also covered - painted metal cover for the sides). Sides will be protected by a finishing painted metal sheet.
    - Fast and easy assembly thanks to pre-drilled metallic inserts positions. Capable of supporting loads: 1 ton.
  - A cross-beam JLS2-TRAB3:
    - Multifunction cross beam: connecting, reinforcement and storage space, 2 possible positions: horizontal or vertical.
    - Made of epoxy painted steel sheet (thickness 12/10ths).
    - Colour red 3020.

Ref	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-2MW7DH	1025	2182	750	Red 3020 Black 9004	177.1
JLS2-2MS7DH	1025	2182	750	Red 3020 Black 9004	177.1

Heavy-duty workbench 2182 mm - 7 drawers - stainless steel worktop - low version and shutter cabinet



- Workstation, made of a workbench and a shutter cabinet:
  - Workbench JLS2-2MS7DL:
    - Fitted with a 7-drawer unit JLS2-MBS7T (5 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 200 mm high.) drawer useful size (L x D.): 569 x 421 mm.
    - Worktop made of multi-ply beech of thickness 40 mm covered with 10/10th 304L brushed stainless steel. (L x D.)2182x750mm
    - Weight: 172 kg.
  - Cabinet JLS2-MHTR:
    - Stores long and cumbersome tools and/or objects
  - The vertical hook panels provide high visibility and direct access to the tools.
    - Shutter with key lock.
    - Fitted with a perforated panel (6x6 mm with 12 mm pitch) to hang the tools with the range of CKS hooks.
    - To be fastened directly on the worktop or wall.
    - Hanging volume useful size: L.2057xD.183xH.714 mm.
    - Weight: 32.7 kg.

Ref	Color	ΔΔ [kg]
JLS2-2MS7DCL	Red 3020 Black 9004	204.7

▪ **Heavy-duty workbench 2182 m - 13 drawers - Wooden worktop - high version**



- Description:
- One 6-drawer unit JLS2-MBS6T:
  - 4 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 270 mm high.
- One 7-drawer unit JLS2-MBS7T:
  - 5 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 200 mm high.
  - Drawer useful size: L.569 x D.421mm.
  - Single keylock.
  - Fitted with 4 jack-mounted swivel feet for perfect adjustment.
  - Overall dimensions: L.722 x D.701 x H.810 mm.
- 1 JLS2-PSH foot:
  - Foot made of epoxy painted sheet steel (thickness 12/10ths).
  - Fitted with jack-mounted swivel feet for adjustment providing complete stability irrespective of the type of floor.
  - Dimensions: L.100 mm x H.985 mm x D.650 mm.
  - Colour black 9004.
- 1 low unit raising base JLS2-BASEMBS:
  - Base in 12/10th steel sheet.
  - Dimensions: L.720 mm x H.180 mm x D.699 mm.
  - Colour black 9004.
- A wooden worktop JLS2-PB3
  - Depth 750mm, thickness 40 mm ensuring resistance and durability.
  - Linseed oil treatment for improved resistance to liquids and ease of maintenance. Capable of supporting loads: 1 ton.
- A JLS2-TRBB3 cross-beam
  - Multifunction cross beam: connecting, reinforcement and storage space, 2 possible positions: horizontal or vertical.
  - Made of epoxy painted steel sheet (thickness 12/10ths).
  - Colour red 3020.



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-2MW13DH	1025	2182	750	Black 9004 Red 3020	249,6

▪ **Heavy-duty workbench 2182 mm - 13 drawers - stainless steel worktop - high version**



- Description:
- One 6-drawer unit JLS2-MBS6T.
- One 7-drawer unit JLS2-MBS7T.
- 1 foot JLS2-PSH.
- 1 low unit raising base JLS2-BASEMBS.
- One JLS2-PBST3 worktop:
  - Panel made of multi-ply beech of thickness 40 mm covered with 10/10th 304 L brushed stainless steel for improved impact and heat resistance (edge also covered - painted metal cover for the sides). Sides will be protected by a finishing painted metal sheet.
  - Fast and easy assembly thanks to pre-drilled metallic inserts positions. Capable of supporting loads: 1 ton.
- A JLS2-TRBB3 cross-beam.




ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-2MS13DH	1025	2182	750	Black 9004 Red 3020	263,5



HEAVY-DUTY WORKBENCHES

■ Heavy-duty workbench 2182mm - 7 drawers - stainless steel worktop - high version and shutter cabinet



- Workstation, made of a workbench and a shutter cabinet:
- Workbench JLS2-2MW7DH:
  - fitted with a 7-drawer unit JLS2-MBS7T (5 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 200 mm high.) drawer useful size (L. x D.): 569 x 421 mm.
  - Beech-ply worktop (thickness: 40 mm), treated with linseed oil for ease of maintenance. (L. x D.)2182x750mm
  - Weight: 177.1 kg.
- Cabinet JLS2-MHTR:
  - Stores long and cumbersome tools and/or objects
  - The vertical hook panels provide high visibility and direct access to the tools.
  - Shutter with key lock.
  - Fitted with a perforated panel (6x6mm with 12 mm pitch) to hang the tools with the range of CKS hooks.
  - To be fastened directly on the worktop or wall.
- Hanging volume useful size: L2057xD183xH714mm
- Weight: 32.7 kg.

	Color	ΔΔ [kg]
JLS2-2MS7DSCH	Red 3020 Black 9004	209,8

■ Heavy-duty workbench 2182mm - 7 drawers - wooden worktop - high version and shutter cabinet



- Workstation, made of a workbench and a shutter cabinet:
- Workbench JLS2-2MW7DH:
  - fitted with a 7-drawer unit JLS2-MBS7T (5 drawers 60 mm high, 1 drawer 130 mm high, 1 drawer 200 mm high.) drawer useful size (L. x D.): 569 x 421 mm.
  - Beech-ply worktop (thickness: 40 mm), treated with linseed oil for ease of maintenance. (L. x D.)2182x750mm
  - Weight: 177.1 kg.
- Cabinet JLS2-MHTR:
  - Stores long and cumbersome tools and/or objects
  - The vertical hook panels provide high visibility and direct access to the tools.
  - Shutter with key lock.
  - Fitted with a perforated panel (6x6mm with 12 mm pitch) to hang the tools with the range of CKS hooks.
  - To be fastened directly on the worktop or wall.
- Hanging volume useful size: L2057xD183xH714mm
- Weight: 32.7 kg.

	Color	ΔΔ [kg]
JLS2-2MW7DSCH	Black 9004 Red 3020	209,80



MAINTENANCE WORKBENCHES

■ Maintenance workbench – 6 drawers, wooden top, 2 m



- 6 drawers unit:
  - 3 drawers 60 mm.
  - 2 drawers 130 mm.
  - 1 drawer 200 mm.
- The drawers can be fitted with thermoshaped and foam modules  
Maximum load resistance per drawer : 20/25/30 kg.
- Polypropylène drawer pulls with safety hooks.
- Lock on side to reduce the risk of damage. Centralized locking system, delivered with 2 keys, one folding.
- Leg:
  - Steel sheet "U" profile.
  - Arranged for ground fixing.
- Worktop:
  - 40 mm multilayered beech wood.
  - Suitable for installing a vice.
  - Spread load resistance: 1 ton.
- Accessories:
  - Integrated holder for cans or bottles (Free positioning on right or left).
  - Sides of the drawer unit are perforated to receive most of the JET.XL accessories range.
  - Metal partitions can be provided in option (JET2.15 for 60 mm drawers and JET2.16 for 130 mm drawers).
- Easy and fast assembly.
- Overall dimensions (L x D x H.): L2000\*D700\*H816 mm.
- Drawer useful size: L.569 x D.421 x H.60 / 130 / 200 mm.



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
2000.ROLL6M3W	850	2000	700	Red 3020	89

■ Maintenance workbench – 6 drawers, galvanized top, 2 m



- 6 drawers unit:
  - 3 drawers 60 mm.
  - 2 drawers 130 mm.
  - 1 drawer 200 mm.
- The drawers can be fitted with thermoshaped and foam modules  
Maximum load resistance per drawer : 20/25/30 kg.
- Polypropylène drawer pulls with safety hooks.
  - Lock on side to reduce the risk of damage. Centralized locking system, delivered with 2 keys, one folding.
- Leg:
  - Steel sheet "U" profile.
  - Arranged for ground fixing.
- Worktop:
  - 2.5 mm shock- and heat-resistant galvanised metal sheet.
  - 30 mm Safety edges on 3 sides with rounded and smooth border to avoid injuries.
  - Spread load resistance: 800 kg.
- Accessories:
  - Integrated holder for cans or bottles (Free positioning on right or left).
  - Sides of the drawer unit are perforated to receive most of the JET.XL accessories range (F13 catalogue).
  - Metal partitions can be provided in option (JET2.15 for 60 mm drawers and JET2.16 for 130 mm drawers).
- Easy and fast assembly.
- Drawer useful size: L.569 x D.421 x H.60 / 130 / 200 mm.



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
2000.ROLL6M3G	850	2000	700	Red 3020	87



FLUO

RFid



MAINTENANCE

■ Maintenance workbench 2 m long with drawers



- Worktop length: 2 m.
- Surface width: 750 mm.
- Height: 860 mm.
- Treated beech-ply worktop 40 mm thick.
- 2235.AT3 3-drawer unit with partitions.
- Possibility to fasten a 2nd 2235.AT drawer unit.
- Drawer size: L.534 x D.358 mm.




📏	H [mm]	L [mm]	ΔΔ [kg]
<b>2250.AT3</b>	860	2000	96.5

■ Maintenance workbench 2 m long



- Worktop length: 2 m.
- Surface width: 750 mm.
- Height: 860 mm.
- Treated beech-ply worktop 40 mm thick.
- Possibility to fasten 2 2235.AT drawer units.



📏	H [mm]	L [mm]	ΔΔ [kg]
<b>2250</b>	860	2000	70.5

▪ Maintenance workbench 1.5 m long with vertical panel

- Worktop length: 1.5 m.
- Surface width: 750 mm.
- Height: 860 mm.
- Treated beech-ply worktop 40 mm thick.
- Tools hung with CKS system on vertical panel: 1500 x 510 x 50 mm.
- 2235.AT3 3-drawer unit with partitions.
- Drawer size: L.534 x D.358 mm.



ED	H [mm]	L [mm]	ΔΔ [kg]
2245.PVAT3	860	1500	97.3

▪ Maintenance workbench 1.5 m long

- Worktop length: 1.5 m.
- Surface width: 750 mm.
- Height: 860 mm.
- Treated beech-ply worktop 40 mm thick.
- Possibility to fasten a 2235.AT drawer unit.



ED	H [mm]	L [mm]	ΔΔ [kg]
2245	860	1500	59.5



FLUO

RFid



MAINTENANCE

Double drawer unit



- Drawer unit to fit either side under worktop.
- Fittings supplied.
- Keylock.
- Drawer dimensions:  
- L.534 x H.100 x D.358 mm (x2).

ED	H [mm]	L [mm]	P [mm]	Dimension [mm]	ΔΔ [kg]
2235.AT2	325	670	426	670 x 426 x 315	20.5

Triple drawer unit



- Drawer unit to fit either side under worktop.
- Fittings supplied.
- Keylock.
- Drawer dimensions:  
- L.534 x H.50 x D.358 mm (x2).  
- L.534 x H.100 x D.358 mm (x1).

ED	H [mm]	L [mm]	P [mm]	Dimension [mm]	ΔΔ [kg]
2235.AT3	315	670	426	670 x 426 x 315	26.0

Maintenance workbench - galvanized steel worktop - 1.5 m



- Worktop in 2.5 mm shock- and heat-resistant galvanized metal sheet.
- Welded and bolted heavy duty metallic construction.
- Static load resistance 500 kg.
- Safety edges on 3 sides.
- Floor anchoring possible.
- Can be fitted with 2 additional drawers WB.DRAWERP.B.
- Wide cross-piece used as shelf or foot rest.
- Easy and fast assembly.

ED	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
WB.1500GSA	850	1500	750	59.0

Maintenance workbench - galvanized steel worktop - 2 m



- Worktop in 2.5 mm shock- and heat-resistant galvanized metal sheet.
- Welded and bolted heavy duty metallic construction.
- Static load resistance 700 kg.
- Safety edges on 3 sides.
- Floor anchoring possible.
- Can be fitted with 2 additional drawers WB.DRAWERP.B.
- Wide cross-piece used as shelf or foot rest.
- Easy and fast assembly.

ED	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
WB.2000GSA	850	2000	750	81.5

■ Maintenance workbench - multilayered beech wood worktop - 1.5 m

- Worktop in 30 mm multilayered beech wood coated with lint oil for increased resistance to liquids and easy maintenance.
- Welded and bolted heavy duty metallic construction.
- Static resistance: 800 kg.
- Floor anchoring possible.
- Suitable for installing a vice.
- Wide cross-piece used as shelf or foot rest.
- Can be fitted with 2 additional drawers WB.DRAWERP.B.
- Easy and fast assembly.



ED	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
WB.1500WA	850	1500	750	54.0

■ Maintenance workbench - multilayered beech wood worktop - 2 m

- Worktop in 30 mm multilayered beech wood coated with lint oil for increased resistance to liquids and easy maintenance.
- Welded and bolted heavy duty metallic construction.
- Static resistance: 1 ton.
- Floor anchoring possible.
- Suitable for installing a vice.
- Wide cross-piece used as shelf or foot rest.
- Can be fitted with 2 additional drawers WB.DRAWERP.B.
- Easy and fast assembly.



ED	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
WB.2000WA	850	2000	750	70.0

STANDARD

■ Drawer

- Drawer unit 140mm long to fit either side under worktop.
- Can be fitted with 3 modules.
- Keylock.



ED	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
WB.DRAWER	140	569	421	7.3



FLUO

RFid



DRAWER CABINETS

**DRAWER CABINET**

**Heavy loads**

- High strength telescopic ball sliders **with full opening.**
- **75 kg** for small drawers (50/75/100).
- **120 kg** for large drawers (125/175/225) - 2 pairs of sliders.



**Organised storage**

- 1 The drawers are fitted with 6 "XL" modules.
- 2 As an option: Transversal and longitudinal galvanised sheet partition system.
- 3 And modular tray sets.



**Large storage capacity**

- Effective drawer dimensions: L 840 mm x D 570 mm x H 50/75/125/175/225 mm.
- Stackable (supplied with a linking kit).

**Safety**

- **Central drawer locking: the drawers are locked simultaneously. (cabinet supplied with 2 keys).**
- **Anti-tilt system: with selective drawer opening, opening one drawer locks all others. This prevents the cabinet from tilting.**
- **Floor anchoring possible.**

■ **Heavy load industrial unit with 6 drawers**



- 2 drawers H.50 mm.
- 1 drawer H.75 mm.
- 2 drawers H.175 mm.
- 1 drawer H.25 mm.
- The drawers can also be fitted with "XL" modules.
- High strength 100% opening ball bearing telescopic sliders.
- 75 kg for small drawers (50/75/100).
- 120 kg for large drawers (125/175/225) - 2 pairs of sliders.
- Drawer useful dimensions: L.840 x D.570 x H.50/75/125/175/225 mm.
- The cabinets are stackable (supplied with linking kit).
- Safety:
  - Drawer centralised locking: the drawers are locked simultaneously. (cabinet supplied with 2 keys).
  - Anti-tilting system: when opened individually, each drawer locks all others. This prevents the cabinet from tipping over.
  - Ground-anchoring option.

Code	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
2936B	1000	980	680	139.0

■ **Heavy-duty industrial unit with 7 drawers**



- High storage and load capacity.
- 4 drawers H.75 mm.
- 2 drawers H.125 mm.
- 1 drawers H.175 mm.
- The drawers can also be fitted with "XL" modules.
- High strength 100% opening ball bearing telescopic sliders.
- 75 kg for small drawers (50/75/100).
- 120 kg for large drawers (125/175/225) - 2 pairs of sliders.
- Drawer useful dimensions: L.840 x D.570 x H.50/75/125/175/225 mm.
- The cabinets are stackable (supplied with linking kit).
- Safety:
  - Drawer centralised locking: the drawers are locked simultaneously. (cabinet supplied with 2 keys).
  - Anti-tilting system: when opened individually, each drawer locks all others. This prevents the cabinet from tipping over.
  - Ground-anchoring option.

Code	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
2937B	1000	980	680	154.0

**Heavy-duty industrial unit with 8 drawers**

- High storage and load capacity.
- 4 drawers H.50 mm.
- 1 drawer H.75 mm.
- 2 drawers H.125 mm.
- 1 drawer H.175 mm.
- The drawers can also be fitted with "XL" modules.
- High strength 100% opening ball bearing telescopic sliders.
- 75 kg for small drawers (50/75/100).
- 120 kg for large drawers (125/175/225) - 2 pairs of sliders.
- Drawer useful dimensions: L.840 x D.570 x H.50/75/125/175/225 mm.

- The cabinets are stackable (supplied with linking kit).
- Safety:
  - Drawer centralised locking: the drawers are locked simultaneously. (cabinet supplied with 2 keys).
  - Anti-tilting system: when opened individually, each drawer locks all others. This prevents the cabinet from tipping over.
  - Ground-anchoring option.



Ref	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>29388</b>	1000	980	680	161.5

**Heavy-duty industrial unit with 9 drawers**


- High storage and load capacity.
- 4 drawers H.50 mm.
- 3 drawer H.75 mm.
- 2 drawers H.125 mm.
- The drawers can also be fitted with "XL" modules.
- High strength 100% opening ball bearing telescopic sliders.
- 75 kg for small drawers (50/75/100).
- 120 kg for large drawers (125/175/225) - 2 pairs of sliders.
- Drawer useful dimensions: L.840 x D.570 x H.50/75/125/175/225 mm.

- The cabinets are stackable (supplied with linking kit).
- Safety:
  - Drawer centralised locking: the drawers are locked simultaneously. (cabinet supplied with 2 keys).
  - Anti-tilting system: when opened individually, each drawer locks all others. This prevents the cabinet from tipping over.
  - Ground-anchoring option.



Ref	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>29398</b>	1000	980	680	172.5


**Set of 8 partitions for drawers 125 mm wall**



- Partitioning system in galvanised metal sheet.
- 2 separations.
- 4 partitions 200 mm high.
- 2 partitions 400 mm high.

Ref	ΔΔ [kg]
<b>2930.C3</b>	3.3


**Supplied with 18 partitions for drawers 80 and 75 mm wall**



- Partitioning system in galvanised metal sheet.
- 3 separations.
- 4 partitions 100 mm high.
- 3 partitions 300 mm high.
- 8 partitions 200 mm high.

Ref	ΔΔ [kg]
<b>2930.C1</b>	2.6

**Set of 27 partitions for drawers 75 mm wall**



- Partitioning system in galvanised metal sheet.
- 5 separations.
- 16 partitions 100 mm high.
- 6 partitions 200 mm high.

Ref	ΔΔ [kg]
<b>2930.C2</b>	4.6



FLUO

Rfid

Set of 57 plastique trays



- Different coloured plastic modular trays
- 36 trays : 62,7 x 69,7 mm.
- 12 trays : 125,4 x 69,7 mm.
- 6 trays : 125,4 x 139,4 mm.
- 3 trays : 125,4 x 278,8 mm.

Ref	ΔΔ [g]
2930.B1A	500

Set of 25 plastique trays



- Different coloured plastic modular trays
- 12 trays : 62,7 x 69,7 mm.
- 12 trays : 125,4 x 69,7 mm.
- 6 trays : 125,4 x 139,4 mm.
- 6 trays : 125,4 x 278,8 mm.

Ref	ΔΔ [g]
2930.B2A	200

WORKTOP CABINETS AND WALL STORAGE UNITS


Jetline+ top unit double with shutter



- The double unit can be used for storing tools and/or items which are too long and bulky for standard units.
- Maximum visibility and accessibility thanks to vertical hooking part.
- Shutters opening fully offers a direct tool access.
- Shutter, key-lock closing (Interchangeable lock).
- Fitted with a perforated panel (6 x 6 mm au pas de 12 mm) for a fixing of tools using the CKS range of hooks
- Easy and direct fixing on the worktop or to the wall. No fitting kits to use.
- Overall dimensions : L1455 x D278 x H810 mm.
- Hook fastening useful dimensions : L1330 x D183 x H714 mm.

Ref	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MHDR	810	1455	278	Black 9004 Red 3020	24.2

Jetline+ top unit triple with shutter




- The double unit can be used for storing tools and/or items which are too long and bulky for standard units.
- Maximum visibility and accessibility thanks to vertical hooking part.
- Shutters opening fully offers a direct tool access.
- Shutter, key-lock closing (Interchangeable lock).
- Fitted with a perforated panel (6\*6mm au pas de 12 mm) for a fixing of tools using the CKS range of hooks
- Easy and direct fixing on the worktop or to the wall. No fitting kits to use.
- Overall dimensions : L2182 x D278 x H810 mm.
- Hook fastening useful dimensions : L2057 x D183 x H714mm.

Ref	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-MHTR	810	2182	278	Black 9004 Red 3020	32.7



Jetline+ top unit single full doors and 1 drawer

- Cabinet with vertical hanging and drawer sections.
- Vertical fastening part : Storage surface area: 1 m<sup>2</sup>. The base and sides of the cabinet, door liners, are perforated for hanging tools using the CKS system.
- Opening at 180° of the 2 swinging doors for maximum visibility and accessibility.
- Drawer section :
  - 1 drawer with heavy-duty ball-bearing slides, 100% opening.
  - Drawer useful dimensions : L.569 x H.60 x D.210 mm.
  - Centralised locking of the doors and drawer by keylock.
- Easy and fast fastening on a base unit using a "JLS2-TUBESUP 400" fitting Kit.
- Overall dimensions : L719 x D278 x H810 mm.



FACOM	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JLS2-2201	810	719	278	Black 9004 Red 9020	31.0

Wall unit with 2 drawers and shutters - 1000 mm wall

- Vertical fastening part:
- Storage surface area: 1.8 m<sup>2</sup>.
- The base and sides of the cabinet, door liners, as well as the 2 additional panels, are perforated for hanging tools using the CKS system.
- Opening at 180° of the 2 swinging doors for maximum visibility and accessibility.
- Drawer section:
  - 2 drawers with heavy-duty ball-bearing slides, 100% opening.
  - Drawer useful size: L.569 x H.60 x D.210 mm.
  - Centralised locking of the doors and drawers by keylock.
  - Wall mounted (through holes provided) or on a workbench.
- Dimensions: L.720 x D.280 x H.1.000 mm.

Supplied without tools.



FACOM	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
2202XL	1000	720	280	Black 9004 Red 9020	42.5



FLUO

RFid



HOOKS

VERTICAL TOOL STORAGE

# A HOOK FOR EACH TOOL!

**Space-saving:**

- Wall surfaces are transformed into storage surfaces.

**CKS hook system**




- Installation of retaining clip CKLA.

**Perforated panels**

- Perforation: L 6 x 6 mm.
- Pitch: 12 mm.

**Ergonomic:**

- Direct tool access.



PK	L mm	H mm	W mm	Weight kg
PK.1	444	888	10	2.350
PK.2	444	444	10	1.160
PK.4	1665	444	10	4.360

PK	L mm	H mm	W mm	Weight kg
PK.1G	444	888	10	2.350
PK.2G	444	444	10	1.160
PK.4G	1665	444	10	4.360

Standard hook




- CK: Standard hook length: 50 mm.



CK	L [mm]	ΔΔ [g]
CK	50	10

Locking clips



- Very useful in case of modification of hook implantation. (Packaging unit: 10).



CKLA	ΔΔ [g]
CKLA	15


Tool hook for combination wrenches



CKS	d [mm]	Dimension [mm]	ΔΔ [kg]
CKS.60A	30	Hook Ø 30 mm	0,010
CKS.61A	15	Hook Ø 15 mm	0,010


HOOKS

Tool hook for open end wrenches




Ref	A [mm]	B [mm]	ΔΔ [kg]
CKS.57A	13	5	0,010
CKS.58A	25	8	0,010
CKS.59A	36	12	0,010

Tool hook for screwdrivers



Ref	A [mm]	C [mm]	D [mm]	ΔΔ [kg]
CKS.50A	13	35	7	0,020
CKS.51A	13	35	10	0,020
CKS.52A	14	35	13	0,020

Tool hook for hammers




Ref	A [mm]	B [mm]	ΔΔ [kg]
CKS.45A	17	28	0,010
CKS.46A	33	36	0,010

Tool hooks for cylindrical tools



Ref	d [mm]	L2 [mm]	ΔΔ [kg]
CKS.64A	7 - 8 - 9	PH.0	0,010
CKS.65A	8 - 9 - 10 - 11 - 12	PH.1	0,010
CKS.66A	12 - 13 - 14 - 15	PH.2	0,010
CKS.67A	15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25	PH.3	0,010
CKS.68A	25 - 26 - 27 - 28 - 29 - 30 - 31 - 32		0,010

Tool hook for pliers



Ref	A [mm]	B [mm]	L3 [mm]	ΔΔ [kg]
CKS.55A	61	28	PZ.1	0,010
CKS.56A	50	17	PZ.2	0,010




- CKS.K1: kit comprising 30 hooks: 20 x CK, 5 x CKS.58A, 5 x CKS.59A.
- CKS.K2: kit comprising 40 hooks: 5 x CKS.45A, 5 x CKS.46A, 5 x CKS.55A, 5 x CKS.56A, 10 x CKS.66A, 10 x CKS.67A.
- CKS.K3: kit comprising 65 hooks: 20 x CKS.60A, 20 x CKS.61A, 5 x CKS.67A, 5 x CKS.68A, 5 x CKS.50A, 5 x CKS.51A, 5 x CKS.52A.

Ref	ΔΔ [kg]
CKS.K1	0.220
CKS.K2	0.620
CKS.K3	0.750



TOOL RACKS

▪ Versatile wrench rack



- Easy to install: very easy fastening on the perforated sides of the roller cabinet or on a wall-mounted panel (fastening system supplied).
- Easy use and time gain.
- No specific location, wrenches can be positioned in any cell.
- No risk of damaging tools: polypropylene rack and appropriate design ensure risk-free contact.
- Broad range coverage.

ED	Dimension [mm]	For	ΔΔ [g]
CKS.100	6 to 14	8 open end wrenches	60
CKS.101	14 to 27	8 open end wrenches	130
CKS.102	24 to 42	4 open end wrenches	90

▪ Versatile screwdriver rack



- Easy use and time gain.
- No specific location, wrenches can be positioned in any cell.
- No risk of damaging tools: polypropylene rack and appropriate design ensure risk-free contact.
- Broad range coverage.

ED	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
CKS.08	38	238	50	0.050

▪ Versatile drift punch rack



- Easy to install: very easy fastening on the perforated sides of the roller cabinet or on a wall-mounted panel (fastening system supplied).
- Easy use and time gain.
- No specific location, drift punches can be positioned in any cell.
- No risk of damaging tools: polypropylene rack and appropriate design ensure risk-free contact.
- Broad range coverage: compatible with sheathed drift punches.


ED	H [mm]	L [mm]	P [mm]	Qtés	ΔΔ [g]
CKS.103	70	170	35	1	95

▪ Versatile stud puller rack



ED	Dimension [mm]	For	ΔΔ [kg]
CKS.25A	4 to 11	5 stud pullers	0.052

▪ File rack



ED	For	ΔΔ [kg]
CKS.34A	9 handle files	0.140
CKS.35A	5 handle files	0.068

▪ Rack for angled socket wrenches no.1



ED	Dimension [mm]	For	ΔΔ [kg]
CKS.37A	8 to 19	9 angled socket wrenches 75 or 76	0.186

TOOL RACKS

▪ Rack for angled socket wrenches no.2



Dimension [mm]	For	ΔΔ [kg]
<b>CKS.39A</b> 8 to 24	16 angled socket wrenches 75 - 76 - 92	0.780

▪ Socket rack



Dimension [mm]	For	ΔΔ [kg]
<b>CKS.1A</b> 8 to 21	13 1/2" - 3/8" sockets	0.280


▪ Chisel rack



For	ΔΔ [kg]
<b>CKS.80B</b> 4 chisels	0.145
<b>CKS.81A</b> 5 capped chisels	0.210


OTHER TOOL RACKS

▪ Pneumatic tool rack



A [mm]	B [mm]	ΔΔ [kg]
<b>CKS.71A</b> 48	60	0.200
<b>CKS.79A</b> 48	60	0.200

▪ Electric tool rack



A [mm]	B [mm]	ΔΔ [kg]
<b>CKS.77A</b> 55	100	0.190

▪ Wire basket



H [mm]	L [mm]	P [mm]	ΔΔ [g]
<b>CKS.78A</b> 105	355	92	208




WRENCHES

FACOM MODULAR SYSTEM

Effective tool organisation with FACOM Modular System

- Stored tools = productivity, comfort and safety.
- Instant access to all your tools without wasting time. Optimum safety: no more rummaging through loose tools in a drawer.



Break-off modules

- Universal modules compatible with all FACOM roller cabinets.
- Thermoformed shock polystyrene.
- Dimensions 175 x 418 mm (355 mm without the tray).



For ROLL and CHRONO, detach the break-off section.



Modules XL

- Modules compatible only with XL drawers (JET +3, JET +4, JET +5, CHRONO+ ranges, but also JETXL and CHRONOXL).
- Thermoformed shock polystyrene.
- Dimensions 188 x 418 mm

Module metric open end combined ratchets



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ rolling cabinets.



Icon	Content set	Contents	Qty	ΔΔ [kg]
	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	PL.652	12	1.5
	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24	PL.690	14	1.7

12-piece module of hinged combination wrenches and adaptors



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ rolling cabinets.



Icon	Content set	Contents	Qty	ΔΔ [kg]
	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19	PL.680	12	1.5

7-piece 12-point ratchet ring wrench module



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ rolling cabinets.



Icon	Content set	Contents	Qty	ΔΔ [kg]
	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x18 - 17x19	PL.608A	7	0.925

7-piece 12-point 15° head ring wrench module



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ rolling cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
MOD.65J7	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x18 - 17x19	PL.608A	7	1.2

16 OGV® combination wrenches sizes module



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ rolling cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
MOD.440-1	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 22 - 24	PL.670	16	1.801

4 OGV® combination wrenches large sizes module



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ rolling cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
MOD.440-2	27 - 29 - 30 - 32	PL.314A	4	2.0

13 inch combination wrenches module



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ rolling cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
MOD.440-4	1/4 - 5/16 - 11/32 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16	PL.673	13	1.6

17 combination wrenches 440 module



**XL**

- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ rolling cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
MOD.440-1XL	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24	PL.313	17	1.9

5 OGV® combination wrenches large size module



**XL**

- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ rolling cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
MOD.440-2XL	27 - 29 - 30 - 32 - 34	PL.671	5	2.9



FLUO

Rfid



WRENCHES

■ 9 open-end wrenches module, 6 to 24 mm



• Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.44-1 44. 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 21x23 - 22x24	PL.315	9	1.301

■ 3 open end wrenches large size module



• Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.44-2 44. 26x28 - 27x29 - 30x32	PL.316	3	1.601

■ 6-piece metric long double ended ring wrenches in thermoformed tray



• Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.59LJ6 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 18x19	PL.698	6	1,650

■ 6-piece metric 15° hinged long-reach offset-ring wrenches in thermoformed tray



• Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.57LJ6 5.5x7 - 8x9 - 10x11 - 12x13 - 12x14 - 17x19	PL.697	6	1.001

■ Metric angled socket wrench sets in heat formed tray



• Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.75-1 8 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 18 - 19	PL.625	10	2.501

■ 6 tubular box wrenches module



• Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.97 8X9 - 10X11 - 12X13 - 14X15 - 16X17 - 18X19	PL.359	6	0.9



7 universal joint socket wrenches module



Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.99B 7 - 8 - 10 - 11 - 13 - 17 - 19	PL.304	7	4.0

6 hinged socket wrenches module



Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.66A-1 6X7 - 8X9 - 10X11 - 12X13 - 14X15 - 16X17	PL.319A	6	0.94

3 hinged socket wrenches module



Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.66A-2 18X19 - 20X22 - 21X23	PL.320	3	1.6

Flare nut 5 wrenches module



Compatible with the FACOM modular storage system: - compatible with CHRONO, JET, CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.43 7X9 - 8X10 - 11X13 - 12X14 - 17X19	PL.365	5	0.96

37-piece 1/4" metric 6-point socket and bit module - R.161B



Compatible with the FACOM modular storage system: - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.S box.

Content set	Contents	Qty	ΔΔ [kg]
MOD.R161-66 R.161B - R.5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - R.209 - R.210 - R.240A - R.236A - R.235 - EP.1T Phillips® - PH1 - PH2 - PH3 - ED.1T Pozidriv® - PZ1 - PZ2 - PZ3 - ES.1T : 4,5 - 6,5 - 8,0 - EH.1 : 3 - 4 - 5 - 6 - 7 - EXR.1 Resistorx® : TT10 - TT15 - TT20 - TT25 - TT27 - TT30 - TT40	PL.S15	37	0.555

32-piece 1/4" metric 6-point socket module - R.161B



Compatible with the FACOM modular storage system: - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

Content set	Contents	Qty	ΔΔ [kg]
MOD.R161-16 R.161B - R.5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - R.209 - R.215 - R.240A - R.120A - R.236A - R.235 - ED.1T Pozidriv® - PZ1 - PZ2 - EXR.1 Resistorx® : TT10 - TT15 - TT20 - TT25 - TT27 - TT30 - TT40 - 83SH. 3 - 4 - 5 - 6 - 7 - 8	PL.L13	32	0.930

SOCKETS



FLUO

Rfid



SOCKETS

36-piece 1/4" metric 6-point socket module - R.161B



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.R161-26</b>	R.161B - R. 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - R.209 - R.215 - R.240A - R.120A - R.236A - R.235 - ED.1T Pozidriv® : PZ1 - PZ2 - ES.1T : 4,5 - 6,5 - 8,0 - EH.1 : 3 - 4 - 5 - 6 - 82H. 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 mm	PL.L13	36	1.085

36-piece 1/4" inch 6-point socket module - R.161B



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.R161-1U</b>	R.161B - R. 3/16' - 7/32' - 1/4' - 9/32' - 5/16' - 11/32' - 3/8' - 13/32' - 7/16' - 1/2' - R.209 - R.215 - R.240A - R.120A - R.236A - R.235 - ED.1T Pozidriv® : PZ1 - PZ2 - ES.1T : 4,5 - 6,5 - 8,0 - EH.1 : 1/8' - 5/32' - 3/16' - 7/32' - 82H. 5/64' - 3/32' - 1/8' - 9/64' - 5/32' - 3/16' - 7/32' - 1/4' - 5/16' - 3/8'	PL.L13	36	0.955

20-piece 3/8" metric 6-point socket module - J.161B



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.J161-36</b>	J.161B - J.H 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - J.210 - J.215 - J.240A - J.120A	PL.M15	20	2.985

20-piece 3/8" metric 6-point socket module - JL.161



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.JL161-36</b>	JL.161 - J.H 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 mm. - J.210 - J.215 - J.240A - J.120A	PL.M15	20	1.635

20-piece 3/8" metric 6-point socket module - JL.171



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.JL171-36</b>	JL.171 - J.H 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - J.210RC - J.215RC - J.240A - J.120A	PL.M15	20	1.675

20-piece 3/8" metric 6-point socket module - J.360



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.J360-36</b>	J.360 - J.H 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - J.210 - J.215 - J.240A - J.120A	PL.M16	20	1.865

16-piece 3/8" inch 12-point socket module - J.161B



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.J161-212U</b>	J.161B - J.1/4' - 5/16' - 3/8' - 7/16' - 1/2' - 9/16' - 5/8' - 11/16' - 3/4' - 13/16' - 7/8' - J.210 - J.215 - J.240A - J.120A	PL.M18	16	1.455

16-piece 3/8" inch 12-point socket module - JL.161



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.JL161-212U</b>	JL.161 - J.1/4' - 5/16' - 3/8' - 7/16' - 1/2' - 9/16' - 5/8' - 11/16' - 3/4' - 13/16' - 7/8' - J.210 - J.215 - J.240A - J.120A	PL.M18	16	1.495

1/2" metric 6-point sockets module



- Compatible with the FACOM modular storage system:
  - Suitable for to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.S161-36</b>	S.161B - S.H 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - S.210 - S.215 - S.240A	PL.M01	23	3.051

1/2" metric 6-point sockets module



- Compatible with the FACOM modular storage system:
  - Suitable for to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.SL161-36</b>	SL.161 - S.H 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - S.210 - S.215 - S.240A	PL.M01	23	3.051

26-piece 1/2" metric 6-point sockets module



- Compatible with the FACOM modular storage system:
  - Suitable for CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.S161-46</b>	S.161B - S.H 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 28 - 29 - 30 - 32 - S.210 - S.215 - S.240A - S.120A	PL.L02	26	3.68

1/2" metric 6-point sockets module



- Compatible with the FACOM modular storage system:
  - Suitable for CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.SL161-46</b>	SL.161 - S.H 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 28 - 29 - 30 - 32 - S.210 - S.215 - S.240A - S.120A	PL.L02	26	3.721



FLUO

Rfid



SOCKETS

1/2" inch 12-point sockets module



- Compatible with the FACOM modular storage system:
  - Suitable for CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.S161-112U</b>	S.161B - S. 3/8' - 7/16' - 1/2' - 9/16' - 19/32' - 5/8' - 21/32' - 11/16' - 3/4' - 13/16' - 7/8' - S.210 - S.215 - S.240A	PL.M05	15	2.0

1/2" inch 12-point sockets module



- Compatible with the FACOM modular storage system:
  - Suitable for CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.SL161-112U</b>	SL.161 - S. 3/8' - 7/16' - 1/2' - 9/16' - 19/32' - 5/8' - 21/32' - 11/16' - 3/4' - 13/16' - 7/8' - S.210 - S.215 - S.240A	PL.M05	15	2.15

1/2" inch 12-point sockets module



- Compatible with the FACOM modular storage system:
  - Suitable for CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.S161-212U</b>	S.161B - S. 3/8' - 7/16' - 1/2' - 9/16' - 19/32' - 5/8' - 21/32' - 11/16' - 3/4' - 13/16' - 7/8' - 15/16' - 1' - 1 1/16' - 1 1/8' - 1 3/16' - 1 1/4' - S.210 - S.215 - S.240A - S.120A	PLL.05	22	3.3

1/2" inch 12-point sockets module



- Compatible with the FACOM modular storage system:
  - Suitable for CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.SL161-212U</b>	SL.161 - S. 3/8' - 7/16' - 1/2' - 9/16' - 19/32' - 5/8' - 21/32' - 11/16' - 3/4' - 13/16' - 7/8' - 15/16' - 1' - 1 1/16' - 1 1/8' - 1 3/16' - 1 1/4' - S.210 - S.215 - S.240A - S.120A	PLL.05	22	3.34

1/2" long-reach metric 6-point sockets module



- Compatible with the FACOM modular storage system:
  - Suitable for CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.HLB</b>	J.HLA - 7 - 8 - 9 - 10 - 11 - S.HLA - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19	PL.M06	13	1.445

24-piece set of Torx® sockets and wrenches




- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.TX1A</b>	Torx® : JTX. E8 - E10 - E12 - E14 - E16 - Torx® : STX. E18 - E20 - Torx® : 59TX. E6xE8 - E10xE12 - E14xE18 - E20xE24 - R.235 - J.235 - S.236 - EXR.1 Resistor® : TT10 - TT15 - TT20 - TT25 - TT30 - TT40 - EX.2 Torx® : T 40 - T 45 - T 50 - T 55	PL.M08	24	0.95

AUTOMOTIVE

Module of 24 cylinder head tightening and loosening tools



**XL**

- Compatible with the FACOM modular storage system:
  - Suitable for CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.CH</b>	D.34BL 7 - 9 - 10 - 12 - 14 - 16 - SV.LB 6 - 8 - 10 - 12 - 14 - JTX.8 - 10 Torx® - STX.12 - 14 - 16 - 18 - 20 Torx® - SX.LA 55 - 70 Torx® - SHP.LA 6 - 8 - 10 - 12	PL.663	24	2.6

15-piece module of 1/2" screwdriver sockets



- Compatible with the FACOM modular storage system:
  - Suitable for CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.SHPA</b>	SHP.LA 5 - 6 - 7 - 8 - XZN® : SV.LB M6 - M8 - M10 - M12 - M14 - M16 - M18 - Torx® : SX.LA T40 - T45 - T55 - T70	PL.336A	15	3.501

SCREWDRIVERS

Thermo-formed Protwist® 8 screwdrivers module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.AT1</b>	AT3X75 - AT3.5X100 - AT4X100 - AT5.5X125 - ATWH6.5X150 - ATWH8X175 - ATP1X100 - ATP2X125	PL.325	8	0.985

Thermo-formed Protwist® 8 screwdrivers module - MOD.AT2



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.AT2</b>	AT2X75 - AT2.5X75 - ATWDH3X150 - ATPOX75 - ATD0X75 - ATD1X100 - ATD2X125	PL.631	8	0.75

Thermo-formed Protwist® 8 screwdrivers module - MOD.AT3



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.AT3</b>	AT4X25 - AT5.5X35 - ATPOX75 - ATP1X25 - ATD0X75 - ATD1X100 - ATD2X125 - ATD2X35	PL.326	8	0.785

Thermo-formed Protwist® 9 screwdrivers module - MOD.AT4



**XL**

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.AT4</b>	ATX2.5X75 - AT3.5X75 - AT4X35 - AT4X100 - AT4X300 - AT5.5X35 - AT6.5X100 - AT8X175	PL.676	9	0.995




FLUO

Rfid



SCREWDRIVERS


Thermo-formed Protwist® 10 screwdrivers module - MOD.AT5



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.AT5</b>	ATD1X100 - ATD2X125 - ATD2X35 - ATP0X75 - ATP1X25 - ATP1X100 - ATP2X35 - ATP2X125 - ATP2X250 - ATP3X150	PL.677	10	0.92

Thermo-formed Protwist® 10 screwdrivers module - MOD.AT6



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.AT6</b>	AEX6X35 - AEX7X35 - AEX8X75 - ATXR10X75 - ATXR15X75 - ATXR30X125 - ATXR40X150 - ATXR20X100 - ATXR25X100 - ATXR27X100	PL.678	10	0.892

Thermo-formed Protwist® 8 screwdrivers module - MOD.AT7



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.AT7</b>	AT3.5X75 - AT4X100 - AT5.5X150 - AT6.5X150 - ATWH8X175 - ATD1X100 - ATD2X125 - ATP0X75	PL.325	8	1.0

Thermo-formed Protwist® 7 screwdrivers module - MOD.ATX



- Compatible avec le système de rangement modulaire FACOM :
  - Adapté aux servantes CHRONO, JET, CHRONO XL, CHRONO+, JET XL et JET+.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.ATX</b>	ATX10X75 - ATX15X75 - ATX20X100 - ATX25X100 - ATX27X100 - ATX30X125 - ATX40X150	PL.327	7	0.84

Thermo-formed Protwist® 7 screwdrivers module - MOD.ATXR



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.ATXR</b>	ATXR10X75 - ATXR15X75 - ATXR20X100 - ATXR25X100 - ATXR27X100 - ATXR30X125 - ATXR40X150	PL.327	7	0.84

Thermo-formed Protwist® 8 screwdrivers module - MOD.AT1VE



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.AT1VE</b>	ATVE 3,5 - 4 - 5,5 - 6,5 - ATP1 x 100VE - ATP2 x 125VE - ATD1 x 100VE - ATD2 x 125VE	PL.325	8	0.907

Set of 7 "T" spherical head hexagon keys



- Compatible with the Facom modular storage system:
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
<b>MOD.84TZSA</b>	84TZA.3, 84TZSA.4, 84TZSA.5, 84TZSA.6, 84TZSA.7, 84TZSA.8, 84TZSA.10	PL.MM-A	7	0.996

Set of 7 "T" spherical head TORX® hexagon keys - MOD.89TXA



- Compatible with the FACOM modular storage system:
- Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
<b>MOD.89TXA</b>	89TXA - 15 - 20 - 25 - 27 - 30 - 40	PL.TORX-A	7	0.648

Module with 20 screw bits



- Compatible with the Facom modular storage system:
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
<b>MOD.E20L</b>	EH.204L, 205L, 206L, 207L, 208L, 210L, EV.205L, 206L, 208L, 210L, EX.230L, 240L, 245L, 250L - EXR.110L, 115L, 120L, 125L, 130L, 140L - R.235 - J.236 - S.236	PL.624	20	0.755

41 bits and 3 bit holders module



- Compatible with the Facom modular storage system:
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
<b>MOD.E41</b>	ED.101T-102T-103T - EH.104-105-106-107 - EXR.110-115-120-125-130-140 - EXR.110L-115L-120L-125L-130L-140L - EH.204L-205L-206L-207L-208L-210L - EH.208-210 - EV.205L-206L-208L-210L - EV.206-208-210 - EX.230L-240L-245L-250L - EX.245-250-255 - R.235-J.236-S.236	PL.621	44	0.895

PLIERS

Impact screwdrivers module



- Compatible with the Facom modular storage system:
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
<b>MOD.NS260</b>	NS.260A - NS.236A - ENH. 5 - 6 - 8 - 10 - END.2 n°2 - 3 - ENP.2 n°2 - 3 - 4 - ENX.2 20 - 25 - 30 - 40 - 45 - 55	PL.380	17	1.3

3-piece mechanic pliers module



- Compatible with the Facom modular storage system:
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]	
<b>MOD.CPEAO</b>	185A.20CPE, 187A.18CPE, 192A.16CPE	PL.MODCPEAO	3	0.942



FLUO

Rfid



PLIERS

5-piece pliers module



**XL**

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

MOD.	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.CPE5</b>	181A.25CPE - 501A - 192.16CPE - 195.20CPE - 185.20CPE	XL PL.657	5	1.8

3-piece 1000V insulated pliers module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

MOD.	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.VEA0</b>	180A.VE, 194A.17VE, 391A.16VE	PL.622	3	0.951

2-piece adjustable pliers module PR4



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

MOD.	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.PR4</b>	180.CPE - 501AMP	PL.330	2	1.2

2-piece adjustable pliers module PR8



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

MOD.	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.PR8</b>	180.CPE - 500A	PL.330	2	1.2

2-piece adjustable pliers module PR9



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

MOD.	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.PR9</b>	181A.25CPE - 501A	PL.330	2	0.504

2-piece adjustable pliers module PR11



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

MOD.	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.PR11</b>	181A.25CPE - 501AMP	PL.330	2	1.2



2-piece adjustable pliers module PR12



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
181A.25CPE - 580.10	PL.330	2	1.2

4-piece Circlip® pliers module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
177A.13 (10 - 25) - 177A.18 (18 - 60) G61 - 179A.13 (12 - 25) - 179A.18 (18 - 60)	PL.683	4	0.842

Module of 4 straight and round nose Circlip® closing / opening pliers



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
177A.13 (10 - 25) - 177A.18 (18 - 60) - 179A.13 (12 - 25) - 179A.18 (18 - 60)	PL.332A	4	0.842

Sheathed drift punches module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
249.G2 - 3 - 4 - 5 - 6 - 8 - 247.G4 - 5 - 6 - 8 - 255.G6	PL.334	11	1.5

Drift punch - chisels - sheathed cape chisel module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
249.G12 - 14 - 16 - 263G19 - 20 - 22 - 265.G18	PL.611	7	3.0

Impact tools 205C module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
205C.50 - 208A.32CBA - 248.G 4 - 5 - 6 - 263.18 - 256.6	PL.333	7	1.7



FLUO

Rfid



HICKORY HANDLE HAMMERS

Impact tools module



- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.MI1</b>	200H.32 - 208A.32CBA - 263.20 - 256.6 - 248.4 - 5 - 6	PL.333	7	1.8

Impact tools 205H module



- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.MI3</b>	205H.50 - 208A.32CBA - 263.18 - 256.6 - 248.4 - 5 - 6	PL.333	7	1.7

Impact tools 202H module



- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.MI4</b>	202H.1/2 - 208A.32CBA - 263.18 - 256.6 - 248.4 - 5 - 6	PL.333	7	1.5

CUTTING AND MEASURING

Saw, measuring, file module



- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.601</b>	601 - 666B.10 - 234.S - 803.300M - PAM.B250EMA - DRD.MD250EMA - CAR.MD200EMA - TRI.MD200EMA - RD.MD200EMA - 893.316	PL.335	10	2.3

5-piece file module



- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.LIM</b>	PAM.B200EMA - DRD.MD200EMA - CAR.MD200EMA - TRI.MD200EMA - RD.MD200EMA	PL.606	5	0.950

Riveting module



- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.Y105</b>	Y.105B	PL.377	700	2.0

AUTOMOTIVE

Micro-Tech® pliers module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.MT1 402.MT - 405.MT - 405.12MT - 406.MT - 406.8MT - 433.LMT	PL.612	6	0.65

Disc brake module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.DFD 31.14X15 et 31.16X17 - 467F.12 - 13 - 14 - NJ.260 - NJ.236A - 83SH.7 - 249.G4 - Torx® ENX.230 - ENX.240 ; Phillips® n°2 ; ENH.205 5 mm	PL.685	13	1.7


Drum brake module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.DFT D.104A - DF.2 - D.79A - 43. 8x10 - 11x132	PL.684	5	0.855

Module of 28 tools for Mac Pherson® shock absorber head



**XL**

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.D.83C D.83CTS12 - D.83C 13L - 14L - 15L - 17L - 18L - 19L - 21L - 22L - 24L - D.83C 8H - 9H - 11H - D.83C 5S - 6S - 8S - D.83CJ794M - D.83CJ635 - D.83CJ8 - J.120A - 64.17x19 - EH.108 - 107 - 106 - EXR.140, EX.245 - XZN : EV.2 M12, 36	PL.647	27	3.8

Wheel nut tightening module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.208 77AT0D - S.208 - 200 - NSB.17 - 19 - 21 - SH.17 - 19 - 21	PL.337A	9	5.5

Bodywork module no.2



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MOD.CAR2 259 - 209.50 - 225.J3 - 850.S350 - 851B - 860H.28 - 861D.30 - 862D.60 - 867D - 870B - 871B.55 - 874A - 875.3 - 906A	PL.679	14	10,0



FLUO

Rfid



OIL-FILTER WRENCHES

Multi-make oil change and filter module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.U48A</b>	U.48 - 13, 14, 17, 18, 19, 21 - 8, 10, 12, 13, 14, 17 - Torx® 45	XL PL.399A	29	1.0

Complete spark plug module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.BJ-GM</b>	B.J14BH 1 - 2 / B.J16A 1 - 2 / B.J21A1 - B.10R8L - B.10R9L - B.10R10A - B.10R12AL - J.161 - D.110	PL.661A	9	2.2

Spark plug service module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.BJC</b>	B.J14BH1 - B.J14BH2 - B.J16A1 - B.J16A2 - B.J18A1 - B.J21A1 - DM.20	PL.669A	7	1.5

Spark plug service module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.BSB</b>	B.S16A1 - B.S16A2 - B.S18A1 - B.S21A1 - DM.20	PL.668A	5	1.2

Glow plug module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.BRA</b>	D.110 - B.10R8D - B.10R9D - B.10R10D - B.10R12AL - D.133A6	PL.667	6	0.910

Torx® wrench sockets and bit module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MOD.TX1</b>	JTX. E8 - E10 - E12 - E14 - E16 - Torx® : STX. E18 - E20 - Torx® : 59TX. E6xE8 - E10xE12 - E14xE18 - E20xE24 - R.235 - J.235 - S.236 - EXR.1 Resistor® : TT10 - TT15 - TT20 - TT25 - TT30 - TT40 - EX.2 Torx® : T 40 - T 45 - T 50 - T 55	PL.360	88	0.995

WRENCHES

FACOM MODULAR SYSTEM / FOAM


Effective tool organisation with FACOM Modular System

- Stored tools = productivity, comfort and safety.
- Instant access to all your tools without wasting time.
- Optimum safety: no more rummaging through loose tools in a drawer.

Foam modules FACOM Control System



- Two-colour system: helps immediate identification of missing tools.
- High density foam: resistant to crushing, hydrocarbons, hydraulic fluids and detergents.
- Finger recesses for easy pick-up.
- Tools securely held during transport.
- Dimensions 188 x 418 mm.
- Only for the JET+3, JET+4, JET+5, JETXL, CHRONOXL and CHRONO+ ranges.



467BR - Module of 12 metric open end combined ratchets in foam tray

- Compatible with the FACOM modular storage system: - Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.467BRJ12</b> 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	PM.MOD467J12	12	1.5
<b>MODM.467BRJ14</b> 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	PM.MOD467J12	14	1.7



Inch short ratchet combination wrench in foam tray

- Compatible with the Facom modular storage system: - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.


Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.467BSJU10</b> 1/4 - 5/16 - 11/32 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4	PM.MOD467SJU10	10	0.8



Hinged metric ratchet combination wrench sets in heat

- Compatible with the FACOM modular storage system: compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.467BFJ12</b> 7 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19	PM.MOD467FJ12	12	1.6



WRENCHES

7-piece set of 15° angled offset-ring ratchets Spline in foam tray



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.65SPL7</b>	65.7X9SPL, 8X10SPL, 2X14SPL, 16X18SPL, 20X22SPL, 24X28SPL, 26X30SPL	PM. MOD65SPL7	7	0.95

F18 - 17 OGV® combination wrenches sizes 6 to 22 and 24 mm in foam tray



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.440-1</b>	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24	PM. MOD440-1	17	1.9


5 OGV® combination wrenches sizes 27 to 22 and 34 mm in foam tray



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.440-2</b>	27 - 29 - 30 - 32 - 34	PM. MOD440-2	5	2.2

7-piece set of inch and metric angled offset-ring wrenches in foam tray



- Compatible with the FACOM modular storage system: Suited to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.55A-1</b>	8x9 - 10-11 - 12x13 - 14x15 - 16x17 - 18-19 x 21x23	PM. MOD55A-1	7	1.3
<b>MODM.55A-2</b>	1/4x5/16 - 3/8x7/16 - 1/2x9/16 - 5/8x11/16 - 3/4x13/16 - 7/8x15/16 - 1"x1"1/16	PM. MOD55A-2	7	1.7

8-piece set of inch offset-ring wrenches in foam tray



- Compatible with the FACOM modular storage system: suited to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.56JU8</b>	1/4X5/16 - 3/8x7/16 - 1/2x9/16 - 9/16x5/8 - 5/16X3/8 - 7/16x1/2 - 9/16X5/8 - 11/16x3/4	PM. MOD56JU8	8	0.900


Offset-ring wrenches, metric, inch, Spline, in foam tray



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.57LJ7</b>	57L.5.5x7 - 8x9 - 10x11 - 12x13 - 12x14 - 17x19 - 18x20	PM.MOD57LJ7	7	2.04
<b>MODM.57LJU5</b>	57L.7/32X1/4 - 5/16x3/8 - 57L.7/16X1/2 - 1/2x9/16 - 5/8x3/4	PM. MOD57LJU5	5	1.377
<b>MODM.57LSPL6</b>	57L.7x9 - 8x10 - 12x14 - 16x18 - 18x20 - 22x24	PM. MOD57LSPL6	6	1.0


13 OGV® 6-point tubular socket wrenches set in foam tray



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MODM.75	75.7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19	PM.MOD75	13 2.7

7 universal joint socket wrenches set 7 to 19 mm in foam tray




- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
MODM.99B	7 - 8 - 10 - 11 - 13 - 17 - 19	PM.MOD99B	7 3.5

SOCKETS

46-piece 1/4" metric 6-point socket foam module - R.161B



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

Content set	Contents	Qty	ΔΔ [kg]
MODM.R161-36	R.161B - R. 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - R.209 - R.215 - R.240A - R.120A - R.236A - R.235 - EP.1T : PH1 - PH2 - PH3 - ED.1T : PZ1 - PZ2 - PZ3. - ES.1T : 4,5 - 6,5 - 8,0 - EH.1 : 3 - 4 - 5 - 6 - 7 - EXR.1 : TT15 - TT20 - TT25 - TT27 - TT30	PM. MODR1AN	46 1.025

46-piece 1/4" metric 6-point socket foam module - RL.161



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

Content set	Contents	Qty	ΔΔ [kg]
MODM.RL161-36	RL.161 - R. 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - R.209 - R.215 - R.240A - R.120A - R.236A - R.235 - EP.1T Phillips® : PH1 - PH2 - PH3. - ED.1T Pozidriv® : PZ1 - PZ2 - PZ3. - ES.1T : 4,5 - 6,5 - 8,0 mm. - EH.1 : 3 - 4 - 5 - 6 - 7 - EXR.1 Resistor® : TT15 - TT20 - TT25 - TT27 - TT30 - TT40. - 83SH. 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10	PM. MODR1AN	46 1.025

20-piece 3/8" metric 6-point socket foam module - J.161B



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.


Content set	Contents	Qty	ΔΔ [kg]
MODM.J161-36	J.161B - J.H 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - J.210 - J.215 - J.240A - J.120A	PM. MODJ161-3	20 1.45

20-piece 3/8" metric 6-point socket foam module - JL.161



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

Content set	Contents	Qty	ΔΔ [kg]
MODM.JL161-36	JL.161 - J.H 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - J.210 - J.215 - J.240A - J.120A	PM. MODJ161-3	20 1.49



SOCKETS

23-piece 1/2" metric 6-point socket foam module - SL.161B



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.

Content set	Contents	Qty	ΔΔ [kg]
MODM.S161-36 S.161B - S.H 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - S.210 - S.215 - S.240A	PM. MODS161-3	23	2.9


23-piece 1/2" metric 6-point socket foam module - SL.161



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and PB.MBOX.L box.

Content set	Contents	Qty	ΔΔ [kg]
MODM.SL161-36 SL.161 - S.H 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - S.210 - S.215 - S.240A	PM. MODS161-3	23	2.9

23-piece 1/2" metric 6-point socket foam module - SL.171



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and PB.MBOX.L box.

Content set	Contents	Qty	ΔΔ [kg]
MODM.SL171-36 SL.171 - S.H 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - S.210RC - S.215RC - S.240A	PM. MODS161-3	23	3.0


1/2" 6-point socket and accessories foam module



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

Content set	Contents	Qty	ΔΔ [kg]
MODM.S1A S.161B - S.H 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - S.210 - S.215 - S.240A - S.120A	PM.MOD.S1A	23	3.15

1/2" metric 6-point socket foam module - SL.161



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

Content set	Contents	Qty	ΔΔ [kg]
MODM.SL1 SL.161 - S.H 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - S.210 - S.215 - S.240A - S.120A	PM.MOD.S1A	23	3.40

22-piece 1/2" metric 12-point socket foam module



- Compatible with the FACOM modular storage system:
  - Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.

Content set	Contents	Qty	ΔΔ [kg]
MODM.S161-212U S.161B - S. 3/8" - 7/16" - 1/2" - 9/16" - 19/32" - 5/8" - 21/32" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1" - 1 1/16" - 1 1/8" - 1 3/16" - 1 1/4" - S.210 - S.215 - S.240A - S.120A	PM.MODM-CHA	22	3.1



■ **22-piece 1/2" inch 12-point socket foam module**

- Compatible with the FACOM modular storage system:  
- Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.L box.



Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.S161-36</b> S.161B - S.H 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - S.210 - S.215 - S.240A	PM. MODS161-3	23	2.9

■ **Long-reach 6-point socket set foam tray**

- Compatible with the FACOM modular storage system:  
- Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.



Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.HLA</b> J.HLA 7 - 8 - 9 - 10 - 11 - S.HLA 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19	PM.MODHLA	13	1.4

■ **Torx sockets - bit sockets, 6-point, Torx®, XZN®, foam module**


- Compatible with the FACOM modular storage system:  
- Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box.



Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.CHA</b> RTX. E8 Torx® - JTX. E8 - E10 Torx® - STX. E12 - E14 - E16 - E18 - E20. Torx® - SHP6LA - 7 - 8 - 10 - 12 - SVLB M6 - M8 - M10 - M12 - M14 - M16 - M18 XZN® - SX.LA T40 - T50 - T55 - T70 Torx®	PM. MODCHA171M	23	2.58

■ **Bit sockets, 6-point, Torx®, XZN®, foam module**

- Compatible with the FACOM modular storage system:  
- Suited to CHRONO XL, CHRONO+, JET XL, JET+ roller cabinets and MBOX.M box..



Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.SHP</b> SL.161 - S.240A-N - S.210-N - S.215-N - S.21H-N - 22 - 24 - 27 - 30 - 32 - S.11H-N - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19	PM.MODS2	19	3.5


**SCREWDRIVERS**

■ **8-piece set of Protwist® screwdrivers in foam tray**

- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.



Content set	Contents	Qty	ΔΔ [g]
<b>MODM.AT1</b> AT3.5X75 - AT3.5X100 - AT4X100 - AT5.5X125 - ATWH6.5X150 - ATWH8X175 - ATP1X100 - ATP2X125	PM.MODA1	8	900



SCREWDRIVERS

8-piece set of Protwist® screwdrivers in foam tray



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.AT2</b>	AT2X75 - AT2,5X75 - ATP0X75 - ATWPH3X50 - ATD0X75 - ATD1X100 - ATD2X125 - ATWDH3X150	PM.MODA2	8 900

8-piece set of Protwist® screwdrivers in foam tray



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.AT3</b>	AT4X25 - AT5,5X35 - ATP0X75 - ATP1X25 - ATD0X75 - ATD1X100 - ATD2X125 - ATD2X35	PM.MODA3	9 763

9-piece set of Protwist® screwdrivers in foam tray



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.AT4</b>	AT2,5X75 - AT3,5X75 - AT4X35 - AT4X100 - AT4X300 - AT5,5X35 - AT5,5X10 - ATWH6,5X150 - ATWH8X175	PM.MODA4	9 900

10-piece set of Protwist® screwdrivers in foam tray



- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.AT5</b>	ATP0X75 - ATP1X25 - ATP1X100 - ATP2X35 - ATP2X125 - ATP2X250 - ATP3X150 - ATD1X100 - ATD2X125 - ATD2X35	PM.MODA5	10 900

10-piece set of Protwist® screwdrivers in foam tray




- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.AT6</b>	AEX6X35 - AEX7X35 - AEX8X75 - ATXR10X75 - ATXR15X75 - ATXR30X125 - ATXR40X150 - ATXR20X100 - ATXR25X100 - ATXR27X100	PM.MODA6	10 900

■ **7-piece set of Protwist® screwdrivers in foam tray**

- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO, JET, CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.ATXR</b> ANX10X75 - ANX15X75 - ANX20X100 - ANX25X100 - ANX27X100 - ANX30X125 - ANX40X150	PM. MODANXR	7	763



**PLIERS**

■ **Foam 3-piece plier set**

- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.CPEAO</b> 192A.16CPE - 185A.20CPE - 187A.18CPE	PM. MODCPEAO	3	975



■ **Foam 4-piece plier set**

- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.CPEA1</b> 192A.16CPE - 185A.20CPE - 181A.25CPE - 501A	PM. MODCPEA1	4	1580



■ **MODM.CPEA2 - Foam 4-piece plier & Shears set**

- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.CPEA2</b> 192A.16CPE - 185A.20CPE - 181A.25CPE - 980C	PM.MODM.CPEA2	4	974



■ **Foam 3-piece plier set**

- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.CPEA3</b> 194A.17CPE - 181A.25CPE - 500A	PM. MODCPEA3	3	1280



**FLUO**

**Rfid**



PLIERS

■ Foam - 2-piece lock grip plier set



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Icon	Content set	Contents	Qty	ΔΔ [g]
	501A - 501AMP	PM.MOD501A	2	1920

■ Foam 4-piece Circlips® plier set



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Icon	Content set	Contents	Qty	ΔΔ [g]
	177A.13 (10 - 25); 177A.18 (18 - 60); 179A.13 (12 - 25); 179A.18 (18 - 60)	PM.MODPCSN	9	946

HICKORY HANDLE HAMMERS

■ Impact tools 200H foam module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Icon	Content set	Contents	Qty	ΔΔ [kg]
	200H.40 - 208A.32CBA - 263.20 - 256.6 - 248.4 - 5 - 6	PM.MODMI1	7	1.8

■ Impact tools 205H foam module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Icon	Content set	Contents	Qty	ΔΔ [kg]
	205H.100 - 208A.32CBA - 263.20 - 256.6 - 248.4 - 5 - 6	PM.MODMI3	7	1.8

■ Impact tools 202H foam module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Icon	Content set	Contents	Qty	ΔΔ [kg]
	202H.1 - 208A.32CB - 263.20 - 256.6 - 248.4 - 5 - 6	PM.MODMI4	7	1.8

**Impact tools 205C long sheathed drift punches foam module**

- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.MI5</b> 205C.50 - 208A.32CB - 263.G19 - 256.6 - 249.G 4 - 5 - 6	PM.MODMI5	7	1.8



**Impact tools 200C foam module**

- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.MI6</b> 200C.40 - 208A.32CBA - 256.6 - 263.G19 - 249.G 4 - 5 - 6 mm	PM.MODMI6	7	2.2



**Impact tools 205C long drift punches foam module**

- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.


Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.MI7</b> 205C.50 - 208A.32CBA - 256.6 - 263.18 - 248. 4 - 5 - 6 mm	PM.MODMI7	7	1.7



**Sheathed drift punches foam module**

- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.CG</b> 249.G 2 - 3 - 4 - 5 - 6 - 8 - 247.G 4 - 5 - 6 - 8 - 255.G6	PM.MODCG	11	1.5



**SAWING**

**Foam tray saw, tape measure and files**

- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.603F</b> 234.S - 603F - 893B.319 - CAR.MD200EMA - DRD.MD250EMA - PAM.B250EMA - TRI.MD200EMA	PM.MOD603F	7	2.1



FLUO

Rfid



SLS - FLUO

■ Foam module of 17 OGV® combination wrenches 6 to 24 mm - SLS



- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.440J17SLS</b>	440.6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 PM. MOD440J17SLS	17	2.4

■ Foam module of 5 OGV® combination wrenches 27 to 34 mm - SLS



- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.440J5SLS</b>	440.27 - 29 - 30 - 32 - 34 PM. MOD440J5SLS	5	3.0


■ Foam module of 12 ratchet combination wrenches 8 to 19 mm - SLS



- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.467J12SLS</b>	467.8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 PM. MOD467J12SLS	12	1.620

■ Foam module of 4 ratchet combination wrenches 21 to 27 mm - SLS



- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.467J4SLS</b>	467.SLS : 21 - 22 - 24 - 27 PM. MOD467J4SLS	4	4.0

■ Foam module of 9 open end wrenches 6 to 24 mm - SLS



- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.44J9SLS</b>	44.SLS : 6X7 - 8X9 - 10X11 - 12X13 - 14X15 - 16X17 - 18X19 - 21X23 - 22X24 PM. MOD44J9SLS	9	1.3

1/4" sockets module - SLS

- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [g]
<b>MODM.RL1SLS</b>	SL.171SLS - S.H 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm. - S.210RC - S.215RC	PM. MODRL1SLS	13	405



3/8" sockets module - SLS

- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.JL1SLS</b>	JL.171SLS. - J.H 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm - J.210RC - J.215RC	PM. MODJL1SLS	18	1.4



1/2" sockets module - SLS

- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.


	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.SL1SLS</b>	SL.171SLS - S.H 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm - S.210RC - S.215RC	PM. MODSL1SLS	21	1.4



Foam module for 8 screwdrivers - SLS

- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.


	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.AN1SLS</b>	AN.SLS : 2,5X75 - 3X100 - 4x100 - 5,5X150 - 6,5X150 - 8X150 - ANP.SLS : PH1 - PH2, Phillips®	PM. MODAN1SLS	8	1.0



Foam module for 6 "T" hex keys - SLS

- Compatible with the FACOM modular storage system:
  - Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [g]
<b>MODM.84TZJ6SLS</b>	84TZ.SLS : 3 - 4 - 5 - 6 - 8 - 10	PM. MOD84TZJ6SLS	6	800



SLS - FLUO

■ Foam module for 2 pliers - SLS



- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.CPE1SLS</b> 501ASLS - 181A.25CPESLS	PM. MODCPE1SLS	2	1.2

■ Foam module for 3 pliers - SLS



- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [g]
<b>MODM.CPE2SLS</b> 192.16CPESLS - 185.20CPESLS - 187.18CPESLS	PM. MODCPE2SLS	3	750

■ MODM.601SLS - Sawing marking module - SLS



- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.601SLS</b> 601SLS - PAM.B250EMASLS - DRD.MD250EMASLS - CAR. MD200EMASLS - TRI.MD200EMASLS - RD.MD200EMASLS - 234.SSLS - 803.300MSLS - 893.316SLS	PM.MOD601SLS	9	2.060

■ Impact module - SLS



- Compatible with the FACOM modular storage system:  
- Adapted to CHRONO XL, CHRONO+, JET XL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.MI1SLS</b> 200C.40SLS - 208A.32CBASLS - 255.G6SLS - 263.G19SLS - 249.GSLS : 4 - 5 - 6	PM.MODM1SLS	7	2.185

■ 3-piece pliers with offcut retainer set in foam tray - FLUO



- Compatible with the Facom modular storage system:  
- Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.CPE-R</b> 185.20CPEF-R - 187.18CPEF-R - 192.16CPEF-R	PM.MODCPE	3	0.75



AERO

■ Inch combination wrench set in foam module

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.



Code	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.440-4</b>	440.1/4 - 5/16 - 11/32 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16"	PM. MOD440-4	13	1.640

■ Inch ratchet combination wrench set in foam module

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.



Code	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.467JU12</b>	467.1/4 - 5/16 - 11/32 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 7/8 - 15/16"	PM. MOD467JU12	12	2.040

■ Inch hinged ratchet combination wrench set in foam module

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.




Code	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.467FJU8</b>	467F.5/16 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4"	PM. MOD467FJU8	8	1.175

■ 10-piece foam module of inch-size short ratchet combination wrenches

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.




Code	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.467SJU10</b>	467S.1/4 - 5/16 - 11/32 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4"	PM. MOD467SJU10	10	0.896




AERO

7-piece foam module of metric-size 15° angled long-reach ring wrenches



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.




	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.57LJ7</b>	57L.5.5x7 - 8x9 - 10x11 - 12x13 - 12x14 - 17x19 - 18x20	PM.MOD57LJ7	7	2.04

5-piece foam module of inch-size 15° angled long-reach ring wrenches




- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.




	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.57LJU5</b>	57L.7/32X1/4 - 5/16x3/8 - 57L.7/16X1/2 - 1/2x9/16 - 5/8x3/4	PM.MOD57LJU5	5	1.377

6-piece foam module of Spline 15° angled long-reach ring wrenches



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.




	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.57LSPL6</b>	57L.7x9 - 8x10 - 12x14 - 16x18 - 18x20 - 22x24	PM.MOD57LSPL6	6	1.0

8-piece foam module of inch-size 10° angled short-reach ring wrenches



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.



	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.56JU8</b>	1/4X5/16 - 3/8x7/16 - 1/2x9/16 - 9/16x5/8 - 5/16X3/8 - 7/16x1/2 - 9/16X5/8 - 11/16x3x4	PM.MOD56JU8	8	0.900

**Inch straight ratchet ring wrenches in foam module**

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.



Content set	Contents	Qty	ΔΔ [kg]	
<b>MODM.64JU6</b>	64.1/4X5/16, 3/8X7/16, 1/2X9/16, 5/8X11/16, 3/4X13/16, 64.7/8X15/16"	PM.MOD64JU6	6	1.3

**Inch straight ratchet ring wrenches in foam module**

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.



Content set	Contents	Qty	ΔΔ [kg]	
<b>MODM.65JU6</b>	65.1/4X5/16, 3/8X7/16, 1/2X9/16, 5/8X11/16, 3/4X13/16, 64.7/8X15/16"	PM.MOD65JU6	6	1.3

**7-piece foam module of Spline 15° angled ratchet ring wrenches**

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.




Content set	Contents	Qty	ΔΔ [kg]	
<b>MODM.65SPL7</b>	65.7X9SPL, 8X10SPL, 2X14SPL, 16X18SPL, 20X22SPL, 24X28SPL, 26X30SPL	PM.MOD65SPL7	7	0.95

**1/4" locking ratchet and inch-size sockets foam module**

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.



Content set	Contents	Qty	ΔΔ [kg]	
<b>MODM.RL1U</b>	RL.171 - R.210RC - R.217RC - R.1/2E - R.1/4E - R.11/32E - R.13/32E - R.3/16E - R.3/8E - R.5/16E - R.7/16E - R.7/32E - R.9/16E - R.9/32E - R.1/2EL - R.1/4EL - R.11/32EL - R.3/16EL - R.3/8EL - R.5/16EL - R.7/16EL - R.7/32EL - R.9/16EL - R.9/32E	PM.MODRL1U	24	1.2



AERO

1/4" locking ratchet and inch-size sockets foam module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.RL2U</b>	RL.161 - R.120A - J4763 - R.209 - R.215, - R.3/16E - 3/8E - 5/16E - 7/16E - 7/32E - 9/16E - 9/32E - 83SH.JP8AU - R.236A, - 3 x ED.1T (101 --> 103) - 3 x EP.1T (101 --> 103), 2 x ES.1T (134,5T - 136,5T) - EH.1 (103 --> 107), 5 x EX.1 (115 - 120 - 125 - 130 - 140), - R.240A - R.235	PM. MODRL2U	40	1.3

3/8" locking ratchet - inch sockets in foam module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.JL2U</b>	JL.171 - J.210RC - J.217RC, - J.1/2 - J.1/4, - J.11/16 - J.13/16 - J.15/16 - J.1P - J.3/4 - J.3/8 - J.5/16 - J.5/8 - J.7/16 - J.7/8 - J.9/16 - J.1/2LA - J.1/4LA, - J.11/16LA - J.13/16LA - J.3/4LA - J.3/8LA - J.5/16LA - J.5/8LA - J.7/16LA - J.7/8LA	PM. MODJL2U	36	4.2

1/2" locking ratchet - inch sockets in foam module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.SL2U</b>	SL.171 - S.210RC - S.215RC, - S.1/2 - S.11/16 - S.13/16 - S.15/16 - S.1P - S.1P1/16 - S.1P1/4 - S.1P1/8 - S.1P3/16 - S.3/4 - S.3/8 - S.5/8 - S.7/16 - S.7/8 - S.9/16 - S.1/2LA - S.11/16LA - S.13/16LA - S.3/4LA - S.5/8LA - S.7/8LA - S.9/16LA	PM. MODSL2U	26	4.0

6-piece straight offset-ring wrenches in foam module



- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.

	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.59LJ6</b>	59L.6X7, 59L.8X9, 59L.10X11, 59L.12X13, 59L.14X15, 59L.18X19	PM. MOD59LJ6	6	1.65

■ Metric 1/4"-3/8" sockets - wrenches in foam module


- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.



	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.SPL</b>	RL.171 - JL.171. - J.16S, J.18S, J.20S, - R.7S, R.8S, R.9S, R.10S, R.12S, R.14S. - : 65.12X14SPL, 65.16X18SPL, 65.20X22SPL, 65.24X28SPL, 65.26X30SPL, 65.7X9SPL, 65.8X10SPL	PM.MODSPL	16	3.8

■ Tools for motor in foam module

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.




	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.ENG-R</b>	RL.171 - R.100RCK - R.350RCK. - R.1/2EL, R.1/4EL, R.11/32EL, R.3/16EL, R.3/8EL, R.5/16EL, R.7/16EL, R.7/32EL, R.9/16EL, R.9/32EL. - R.1/2F, R.1/4F, R.11/32F, R.3/16F, R.3/8F, R.5/16F, R.7/16F, R.7/32F, R.9/16F, R.9/32F - 57L.5/8X3/4, 57L.7/32X1/4, 57L	PM. MODENGR	31	3.0

AUTOMOTIVE

■ Foam module 21 short-range impact sockets 1/2"

- Compatible with the Facom modular storage system:
  - Compatible with CHRONO XL, CHRONO+, JETXL and JET+ roller cabinets.



	Content set	Contents	Qty	ΔΔ [kg]
<b>MODM.ROUE</b>	NS.10A - 11A - 12A - 13A - 14A - 15A - 16A - 17A - 18A - 19A - 20A - 21A - 22A - 23A - 24A - 26A - 27A - 28A - 29A - 30A - 32A	PM.ROUE	21	0.300



FLUO

Rfid





# TOOLBOXES - CASES - CHEST



**TOOLBOXES 164**

ToughSystem	164
Plastic Toolboxes	171
Organizer	173
Plastic cases	173
Tool bags	174
Leather bags	177
Metal toolboxes	180



**CHESTS 181**

Service chests	181
Mobile workbenches	182



**TOOLBOXES 185**

Bi-material Toolboxes	185
-----------------------	-----



**SERVICE CASES 188**

Roller fly cases	188
Electrical service cases	191
Roller cases	192



**BAGS, SOFT CASE AND ROLL BAGS 193**

Leather cases	193
"Light maintenance" soft cases	194
"Light maintenance" roll bags	195



FLUO

Rfid



TOUGHSYSTEM®

FACOM TOUGHSYSTEM®

From your workshop...



...to the site of intervention.

Create your ideal mobile solution.



**ToughSystem®**, Facom's innovative sturdy and watertight storage system. Ultra-mobile to adapt to all your professional needs. Rugged and sealed, carry your equipment safely. A handy solution for your travelling maintenance interventions.



**TOUGHSYSTEM®**



[www.facom.com/toughsystem](http://www.facom.com/toughsystem)



FACOM TOUGHSYSTEM® - TOOLBOXES

Unique solutions



- Modular and adaptable storage system adapting to all your professional needs.

- Rugged and sealed**
- Carry your equipment safely.



[www.facom.com/toughsystem](http://www.facom.com/toughsystem)

**FS150 - Tool box with cups and inner lid organizers**

- Durable structural foam box walls give robust structure to the stand alone units.
- Central locking mechanism secures the box to the frame.
- IP 65 rating - water and dust resistant.
- Anti rust metal latches.
- Coated handle for good gripping in both directions.
- Stacking latches - compatible with all ToughSystem® modules.
- Side handles for two man carrying.
- Inner lid organizers for drills & bits.
- 2 sizes removable cups for small parts organization.



FACOM	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BSYS.BP150</b>	158	554	336	4.45

**FS300 - Tool box with tray**

- Durable structural foam box walls give robust structure to the stand alone units.
- Central locking mechanism secures the box to the frame.
- IP 65 rating - water and dust resistant.
- Anti rust metal latches.
- Coated handle for good gripping.
- Stacking latches - compatible with all ToughSystem® modules.
- Side handles for two man carrying.
- Large storage volume.
- Compatible with all ToughSystem® modules.




FACOM	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BSYS.BP300</b>	308	552	336	4.35

**FS400 - Tool box with tray & verticle storage**

- Durable structural foam box walls give robust structure to the stand alone units.
- Central locking mechanism secures the box to the frame.
- IP 65 rating - water and debris resistant.
- Inner vertical storage for hand tools.
- Anti rust metal latches.
- Coated handle for good gripping.
- Stacking latches - compatible with all ToughSystem® modules.
- Side handles for two man carrying.
- Large storage volume.
- Vertical storage & removable tray for hand tools.
- Compatible with all ToughSystem® modules.



FACOM	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BSYS.BP400</b>	406	550	366	6



FLUO

Rfid



TOUGHSYSTEM®

■ FS290 - Two drawers



- Durable structural foam box walls give robust structure to the stand alone units.
- Two deep drawers.
- Metal ball bearing slides.
- IP 54 rating - Unique water seal and dust protection for drawers.
- Coated handle for good gripping.
- Stacking latches - compatible with all ToughSystem® modules.
- Side handles for two man carrying.
- Compatible with all ToughSystem® modules.

BSYS.BPC2T	ΔΔ [kg]
	7.3

■ FS295 - three drawers



- Durable structural foam box walls give robust structure to the stand alone units.
- Three deep drawers.
- Metal ball bearing slides.
- IP 54 rating - Unique water seal and dust protection for drawers.
- Coated handle for good gripping.
- Stacking latches - compatible with all ToughSystem® modules.
- Side handles for two man carrying.
- Compatible with all ToughSystem® modules.

BSYS.BPC3T	ΔΔ [kg]
	8.7


■ FS100 - Clear lid organizer



- Durable, thick structural foam walls.
- Clear lid is made of polycarbonate for resistance and full visibility.
- 4 large and 8 small removable cups.
- Integrated water seal in every unit IP 65 rated protection against dust and water.
- Compatible with all ToughSystem® modules.
- Anti-rust metal latches Stacking latches.

BSYS.BPZ100	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
	116	553	350	3.26

■ FS280 - Tote




- Large open interior for bulk storage (can hold spray cans, cables etc.).
- Heavy duty foamed polypropylene for a tough and strong product.
- Robust design strong metal handle.
- Side grab handle for carrying the product and placing on ToughSystem® carrier.
- Stacking latches allow stacking products one on top of the other as well as on other ToughSystem® modules.
- Internal slots for inserting dividers for maximum organization of space.
- Compatible with all ToughSystem® modules.

BSYS.BPT0280	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
	277	557	325	2.5

FS450

- IP 65 level seal - water and dust protection.
- Includes portable tray inside.
- Anti-rust metal latches.
- Structural foam material.
- Wide gripping area for pushing & pulling.
- Stacking latches allow compatibility with all ToughSystem® modules.
- Bi-material telescopic handle.
- Special design of lid opening with a rotating handle, enables maximum storage volume with a non-detachable lid.
- Side handles for carrying.
- High quality 7" wheels.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BSYS.BPT450</b>	990	597	480	9.5



FACOM TOUGHSYSTEM® - FSMUSIC WORKSITE RADIO

A radio designed for the workshop or the worksite

Strong

- Shock protection to withstand transport.
- Water- and dust-tight (IP 54), resists to the most extreme environments.



Handy

- Compatible with ToughSystem®, lateral clips to connect another case. Carry handled for more mobility.



Versatile


- High quality sound FM radio, DAB+ Bluetooth digital radio. Sealed compartment for storing your phone with auxiliary socket and USB charging port.



FSMUSIC - Music + charger

- Premium sound - 4 full range tweeters + 1 subwoofer + 1 assisted bass resonator.
- Charging capability - built-in charger ensures jobsite productivity by charging 10.8 V and 18 V batteries.
- IP 54 rated for water and dust resistance.
- Connectivity to Bluetooth®, 3.5mm Aux. Input, 5V/1A USB charger.
- ToughSystem® carrier cart compatible.
- Can be stacked to other ToughSystem® modules.
- Can run on 10.8 V and 18 V FACOM batteries or can be plugged into a wall outlet.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BSYS.BPMUSIC</b>	155	545	360	7.24



TOUGHSYSTEM®

FACOM TOUGHSYSTEM® - TROLLEY



**Modular and comfortable**

- Structure used to adjust the height of the fasteners and adding others.
- Wide coated handle for a better grip.
- Large wheels (22 cm) for better handling.

**Easy to store**

- Folding tray and fasteners to reduce footprint.
- One or several pairs of additional fasteners can be added (maximum load 50kg per pair).



BSYS.CKP

■ FSCARRIER - Trolley



- Metal carrier with adjustable foldable brackets allows tailored configuration.
- Central locking mechanism secures the boxes to the frame.
- ToughSystem® cases not included.
- Folding brackets for storage.
- Flexible platform enables adding brackets or changing heights.
- Super tough metal structure - wide handle, with hand grip.
- 8.5" tire durable wheels - For extreme maneuverability.
- Folding scoop.
- Compatible with all ToughSystem® Modules.



	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
BSYS.TR	1113	685	514	15.65

■ FSBRACKETS - For carrier and workshop



- Adjustable foldable brackets to tailor specific configuration.
- 80 kg weight capacity per pair of brackets.
- For use with FS workshop and FS carrier.



	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
BSYS.CKP	270	70	75	0.75

FACOM TOUGHSYSTEM® WORKSHOP



**Optimized space for easier organization**

**Resistant**

- Maximum charge of 200 kg to store your tools.



**Adaptable**

- Structure allowing to settle the height of ties and adapt itself to your needs. Metal bars of 1,8 m, 2 crossbars and 5 pairs of ties for any solutions of storage. Compatible with all the modules ToughSystem®.




■ **FSWORKSHOP - Racking system**

- Modular & intuitive self assembly solution.
- Compatible with all ToughSystem® modules.
- Customized organization endless arrangement options.
- Robust racking solution can load up to 440 lbs / 200 kg.
- Brackets support shelf add-on option.
- Cost and space efficient.
- Small packaging to fit shelf.
- Compatible with all ToughSystem® modules.



	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BSYS.TK</b>	180	650	329	6.64



TOUGHSYSTEM®

## FACOM TOUGHSYSTEM® FSVAN

Set up your own storage solutions and gain capacity.



### Handy, strong and safe

- Crash-tested telescopic metal bars with height adjustment to adapt to any type of van. 70 kg capacity per support for perfect adaptability.
- Folding reinforced fasteners with 20 kg capacity for each pair for optimum footprint and storage capacity.
- Adjustable bar to reinforce and stabilise the system. 8 patented fasteners adaptable to all types of truck. Reinforced feet ground anchoring.

### FSVANL - Racking for tall vans



- Intuitive self-assembled van rack.
- Fits most popular vans.
- Folds out of the way when not in use.
- Light-weight and gas-efficient.
- Can carry up to 70 kg per rack.
- Allows easy transfer of gear between workshop and jobsite.
- Compatible with most ToughSystem® modules.
- Dimensions: min 160 cm. Max 210 cm.



	L [mm]	ΔΔ [kg]
<b>BSYS.TKVANL</b>	1600-2100	21.4

### FSVAN - Racking for standard vans



- Intuitive self-assembled van rack.
- Fits most popular vans.
- Folds out of the way when not in use.
- Light-weight and gas-efficient.
- Can carry up to 70 kg per rack.
- Allows easy transfer of gear between workshop and jobsite.
- Compatible with most ToughSystem® modules.
- Dimensions: min 90 cm. Max 160 cm.
- Crash tested telescopic metal bars allow height adjustment to fit most types of vans.



	L [mm]	ΔΔ [kg]
<b>BSYS.TKVAN</b>	900-1600	17.5

### FSBRACKETS - For vans



- Adjustable foldable brackets for ToughSystem® van racking.
- Space efficient-brackets fold for optimal storage.
- 20 kg weight capacity per pair of brackets.



	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BSYS.CKPVAN</b>	74	270	114	0.35

PLASTIC TOOLBOXES

PLASTIC TOOLBOX WITH AUTOMATIC CLOSING

Handy

- New one-hand opening system
- Automatic clasp closing
- 2 on-cover storage compartments for small parts, screws, consumables and accessories. Accessible when box closed.
- Removable tool carry tray.
- Designed for optimized storage volume.



FLUO

Rfid



Small model 16" self-closing

- Latch opening with one hand and self-closing.
- 2 storage compartments on the cover.
- High strength metal closures.
- Padlock clasp (padlock not supplied).
- Folding handle. Removable tray. Stackable toolboxes.
- Loading capacity: 17 kg .



FACOM	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BP.C16N</b>	164	391	222	1.2

Small model 19" self-closing

- Latch opening with one hand and self-closing.
- 2 storage compartments on the cover.
- High strength metal closures.
- Padlock clasp (padlock not supplied).
- Folding handle. Removable tray. Stackable toolboxes.
- Loading capacity: 25 kg .



FACOM	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BP.C19N</b>	237	481	271	2.1

Small model 24" self-closing

- Latch opening with one hand and self-closing.
- 2 storage compartments on the cover.
- High strength metal closures.
- Padlock clasp (padlock not supplied).
- Folding handle. Removable tray. Stackable toolboxes.
- Loading capacity: 28 kg .



FACOM	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BP.C24N</b>	260	603	273	2.8


PLASTIC TOOLBOXES

TOOL BOX - small model 16"



- 2 storage compartments on the cover.
- High strength metal closures.
- Padlock clasp (padlock not supplied).
- Folding handle.
- Removable tray.
- Stackable toolboxes.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>B.P.C16</b>	185	411	199	1.1

TOOL BOX - medium model 19"



- 2 storage compartments on the cover.
- High strength metal closings, padlock clasp (padlock not supplied).
- Folding handle.
- Removable tray.
- Stackable toolboxes.




	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>B.P.C19</b>	248	493	256	2.0

TOOL BOX - large model 24"



- 2 storage compartments on the cover.
- High strength metal closings, padlock clasp (padlock not supplied).
- Folding handle.
- Removable tray.
- Stackable toolboxes.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>B.P.C24</b>	284	610	270	2.8



## ORGANISER

### Tool organizer

- Can be used as work station.
- Organize your hand tools, power tools and accessories.
- Innovative design allows simultaneous access to all storage bins.
- Built-in carrying handle.



BP.Z46A	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
BP.Z46A	234	426	316	2.7

### Eight-tray organiser

- Indispensable for workshop components.
- Transparent lid: instant content visibility.
- 8 removable and dividable compartments (up to 10 boxes).
- Polycarbonate cover.
- Cover locking the interior boxes: the parts stay in place during transport.



BP.Z8	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
BP.Z8	106	422	335	1.8

## PLASTIC CASES

### BP - Plastic cases

- Recyclable polypropylene material.
- Resistant to chemical agents and hydrocarbons.
- High impact and fall resistance.
- Ultra-strong hinges and clasps upon use.
- Easy to use: easy one-hand opening.
- Lightweight cases.



	H [mm]	L [mm]	P [mm]	ΔΔ [g]
BP.102	52	204	122	172
BP.115	67	332	143	390
BP.112	66	389	164	458
BP.109	72	478	234	910



FLUO

Rfid



TOOL BAGS

BS.T20 FABRIC TOOL BOX

FACOM PROBAG!



**Heavy duty design:**

- Very high strength 1,200 x 1,200 denier fabric.
- Rigid, waterproof tool compartment.
- Aluminium handle.

**Protection and comfort:**

- Leather grip.
- Padded shoulder strap.
- Closing flap.



**Handy storage:**

- Elastic tool retaining strap.
- Special screwdriver partition.
- Easy access to the tool compartment.
- Large number of side pockets.
- Adjustable saw compartment with self-adhesive strips.
- Flap top storage pouch.



■ Fabric tool box - Mini PROBAG



- Compact fabric tool box 14".
- Strength and comfort:
- High strength polyester fabric 1200 x 1200 deniers.
- Rigid and waterproof polypropylene bin.
- Aluminum handle with gripping handle.
- Shoulder strap with reinforcement cushion on shoulder level.
- Stainless metal strap fastening hooks.
- Closed by flexible cover - holding straps to store the cover.

Handy storage:

- Vertical storage for instant access to tools.
- Elastic tool holding strap.
- Side rack for screwdrivers and drift punches.
- Many side pockets.
- High storage capacity: 34 litres.
- High storage capacity: 11 kg.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BS.T14</b>	340	420	240	2.2

■ Fabric tool box - PROBAG



- Large size fabric tool box 20".
- Strength and comfort:
- High strength polyester fabric 1200 x 1200 deniers.
- Rigid and waterproof polypropylene bin.
- Aluminum handle with leather grip.
- Shoulder strap with reinforcement cushion on shoulder level. Stainless metal strap fastening hooks.
- Closed by flexible cover - built-in kangaroo pocket to store the cover.

Handy storage:

- Vertical storage for instant access to tools.
- Elastic tool holding strap.
- Side rack for screwdrivers and drift punches.
- Many side pockets.
- Saw compartment adjustable by self-adhesive tape.
- High storage capacity: 47 litres.
- High storage capacity: 15 kg.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BS.T20</b>	360	520	250	2.8

■ Fabric tool box with rollers - PROBAG

- Tool bag 14" compact version.
- Effective tool organization.
- Interior layout: easy access tool compartment, elastic tool retaining strap, special screwdriver partition.
- Exterior layout: 6 outside pockets, adjustable saw compartment with self adhesive strips, 1 large document compartment (A4) also used to store the protection cover.
- Also used combined with the PC case BS.PC15.
- Simple and comfortable to use.
- Easy access to the bag's contents.
- 3 carrying solutions: wheels and telescopic handle, aluminium handle with leather grip, padded shoulder strap.
- High strength 1200-denier fabric.
- Wheel diameter: 90 mm.
- Useful capacity: 33 litres; Max weight: 18 kg.
- Interior dimensions: L.47 x D.24 x H.30 cm.



BS.R20	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
	440	550	360	5,4

■ PC case - PROBAG

- Protection guaranteed: Interior foam padding to protect a 15-inch laptop.
- Storage: 3 flap pockets in the front of the bag to store a few tools and the PC charger.
- The bag can also be used for A4 format documents
- Easy to carry.
- By hand with the double carrying handle.
- On the shoulder with the padded strap.
- Installed on the folding handle of the roller PROBAG BS.R20.
- High strength 1200-denier fabric.




BS.PC15	H [mm]	L [mm]	P [mm]	ΔΔ [g]
	300	390	70	690

■ 2-in-1 fabric bag: tooling and laptop PC

- Interior: 14 pockets, 2 straps for pliers, wrenches and screwdrivers, 1 tape measure hook.
- 1 padded pocket for your laptop PC (15" max), tablet or A4 documents.
- Exterior: 2 lateral pockets (one closed, one open net pocket).
- Full access when the bag is completely open.
- Fast access by opening the front pocket.
- By hand with the soft grip handle.
- On the shoulder, with the adjustable s-strap, comfortable reinforcement pad.
- Heavy duty in 1200-denier fabric.
- Max load: 7 kg.



BS.TLB	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
	350	460	150	1,9



TOOL BAGS

■ Fabric back-pack



- High density foam back.
- Adjustable padded straps.
- Adjustable padded chest and stomach belt: effective load distribution.
- Pockets and hooks for organized tooling.
- Padded back laptop compartment (15").
- BS.ORG1 "Organizer" bag: multiple purpose removable tool rack.
- Special hacksaw compartment.
- A4 document holder.
- Reflective strips on the front and straps.
- Rigid polypropylene compartment: waterproof function, holding up, fragile floor protection.
- Locked by a padlock.
- Capacity: 30 litres.
- Max load: 12 kg.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BS.L30</b>	460	355	225	3.2

■ Modular & compact backpack



- Perfect measurements - compatible with safety hoop ladder.
- Durable ballistic nylon fabric - abrasion-resistance & water-resistance.
- Easy-sliding, heavy-duty zippers – secured with padlock eye.
- TPR feet - to prevent damages from floor.
- Smart inner organisation – fastening tapes (Velcro) and 4 removable pockets for maximum customization.
- Transparent removable document/tablet pouch.
- Removable organiser - can be hung on a ladder.
- Internal D-Rings & external round hoops - SLS tools compatible.
- Oval outer eyelets – can carry up to 0.5kg each.
- Ensured safety - reflective strips for night safety on both front and sides.
- Contoured padded shoulder straps with quick-release mechanism provide extra comfort while on the job.
- Safeback ensures maximum carrying comfort and optimum load distribution.
- External stretch-mesh side pocket provides additional storage for a small water bottle or other quick-grab items.
- Quick-grab handle provides an additional carrying option.
- Capacity: 20 litres.
- Max load: 10 kg.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BS.MCB</b>	480	300	180	2.7

■ Fabric bag 1st intervention



- By hand with the double handle.
- On the shoulder, with the adjustable padded shoulder strap.
- Full opening for easy and total access to the bag's content.
- High strength 1200-denier fabric.
- Broad rubber feet under the compartment, protecting the bag but also the ground under it.
- Transparent PVC document pocket.
- Tape measure hook.
- Wrench fastening hook.
- Pen light dedicated storage.
- Max load: 5 kg.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BS.SMB</b>	170	450	180	1.5

■ **PVC coated fabric softbag 50 cm**

- Long enough to receive long tools as hacksaw, level & big wrenches.
- Tough PVC Coated fabric Water splash resistant Easy to clean and maintain.
- 100% opening of the flap lid for an easy access to the tools.
- Lateral handles and adjustable cushioned shoulder strap When the flap is open, the user can carry the bag thanks to the lateral handles.
- Pocket for documents, hook for tape measure, hook for keys, Fixing pen light.
- Plastic feet to protect the bag and avoid to damage the floor
- Reinforced structure and double 2-ply fabric : no deformation when in use.
- Volume : 12.25 litres.
- Load resistance : 8 kg.
- Overall Dimensions (L x D x H) : 540 x 220 x 200 mm on the back, 150 on the front.



	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BS.LMBC</b>	200	540	220	1.6

**LEATHER BAGS**

■ **Compact leather bag**

- Tool transport for intervention on machine.
- High strength, suited to uses in aggressive environment.
- Closing by 2 adjustable loop straps.
- 1 interior compartment.



	H [mm]	L [mm]	I [mm]	ΔΔ [g]
<b>BV.100</b>	132	350	158	510

■ **Leather bag**

- Leather panel bag with strap.
- Reinforced sides for stronger rigidity.
- Assembled by nickel-plated rivets.
- Closing by 3 adjustable loop straps.



	H [mm]	L [mm]	I [mm]	ΔΔ [g]
<b>703232</b>	125	405	145	880




**FLUO**

**RFid**



TOOL BAGS

EXPRESS TOOLMAT



Set up, work,  
fold and go



**SAFE**

- The tools are inside a well-defined space. Keeping your tools in a designated area, avoiding FOD (Foreign Object Debris).
- Elastic straps over the mat's rim allow to store the tools.

**COMFORTABLE**

- Soft foam protects your knees from hard and metallic surfaces (grating) and high strength fabric isolates you from cold, humidity and dirt.
- Welded PVC mat surface: protection against water, oil, and other fluids. Washable for easy maintenance...



**CLEAN**

- After you have completed the job, promptly leave a clean work area!
- Carries up to 5 kg.



**COMPACT**

- And easy to carry - with a shoulder strap or handle.



EXPRESS TOOLMAT working surface



- Increases safety at work.
- Internal surface made from nylon PVC coated washable.
- External Surface and fund from nylon (600 and 1680 deniers).
- Padded internal foam make kneepads unnecessary.
- Tape opening mechanism makes it easy to deploy and pack – 3 seconds only!
- String from polypropylène diameter 4mm.
- A padded shoulder strap.
- Ergonomic Interlock Handle.
- Internal elastic loops to store tools inside.
- Can add BP.EXTMS as accessory (connected by 2 clip buttons).
- Max load: 5 kg
- Dimensions: closed 400 x 400 x 400 mm, opened: 1103 x 1100 mm.




BS.EXTM	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
	400	400	400	2.5

EXPRESS TOOLMAT safety sign



- For marking the working area and increase visibility.
- Polypropylene material.
- 2 reflective bands add visibility.
- Sign face has a hook that can hold different safety signs/messages.
- Sign back side can hold A4 sheet with working instructions.
- Can be connected to BS.EXTM via 2 clip buttons.



BP.EXTMS	H [mm]	L [mm]	P [mm]	ΔΔ [g]
	370	362	294	600



FLUO

RFid



METAL TOOLBOXES

"TRADITIONAL" METAL TOOL BOXES

Instant access to compartments!



**Sturdy**

- Heavy-duty hinges and anodized pins.
- Stiffened lid, fully riveted.

**Practical**

- Storage modules available.
- Padlock clasp.

**Ergonomic**

- Ergonomic handle.
- Edges carefully deburred for safety.

3-tray metal tool box



- Particularly interesting size/useful capacity combination.
- Handle separation space provides instant access to all compartments.
- Base of compartments covered with foam.
- Padlock clasp (padlock not supplied).
- Bin dimensions (L x W x H): 448 x 205 x 98 mm.
- Compartment dimensions (L x W x H): 448 x 100 x 55 mm.
- Useful load: 20 kg.
- Volume: 13 dm<sup>3</sup>.
- Red 3020 and grey Elian.



	H [mm]	L [mm]	ΔΔ [kg]
<b>BT.9</b>	185	475	3.4

5-tray metal tool box



- Large storage capacity.
- Handle separation space provides instant access to all compartments.
- Base of compartments covered with foam.
- Padlock clasp (padlock not supplied).
- Bin dimensions (L x W x H): 448 x 200 x 98 mm.
- Compartment dimensions (L x W x H): 448 x 100 x 55 mm.
- Useful load: 25 kg.
- Volume: 17 dm<sup>3</sup>.
- Red 3020 and grey Elian.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BT.11A</b>	238	475	220	4.5

Large 5-tray metal tool box - large volume



- Large storage capacity. Can contain a level or a hacksaw.
- Handle separation space provides instant access to all compartments.
- Base of compartments covered with foam.
- Padlock clasp (padlock not supplied).
- Bin dimensions (L x W x H): 518 x 200 x 98 mm.
- Compartment dimensions (L x W x H): 526 x 100 x 55 mm.
- Useful load: 30 kg.
- Volume: 18 dm<sup>3</sup>.
- Red 3020 and grey Elian.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BT.13A</b>	238	560	220	5.0



## TOOLBOXES

3

### "Compact" metal tool box

- Steel box containing a tool tray with central partition, comfortable handle.
- Free volume bin dimensions (L x W x H): 290 x 155 x 45 mm.
- Tray compartment dimensions (L x W x H): 260 x 80 x 30 mm (x 2).
- Red 3020 and grey Elian.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BT.4A</b>	95	295	207	1.8

### 2-tray metal tool box

- Composed of a bin and tray jointed by tie-rods.
- Opening the cover automatically moves the tray from the bin.
- Base of compartments covered with foam.
- Padlock clasp (padlock not supplied).
- Transport handle, round-shaped and cartouche for customisation.
- Bin dimensions (L x W x H): 440 x 170 x 85 mm.
- Compartment dimensions (L x W x H): 440 x 170 x 50 mm.
- Useful load: 15 kg.
- Volume: 10 dm<sup>3</sup>.
- Red 3020 and grey Elian.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BT.6A</b>	155	467	165	3.0

## CHESTS

### SERVICE CHESTS


### Mobile workshop utility cart - 3 shelves



- 3 Metal shelves:
  - 40 mm edges to prevent objects from falling during transport, rounded and smooth border to avoid injuries.
  - Removable ABS mats for protection and easy maintenance.
  - 2 different positioning for middle shelf.
  - Maximum static load capacity : 200 kg.
  - Shelves useful dimensions : L.745xP.455 mm.
- Extra large metal handle for optimal manoeuvrability and comfort.
- 4 Casters Ø 100mm, 2 swiveling, 2 fixed, 1 with brake.
- Delivered disassembled - Fast and easy to assemble (screw and nuts).
- Unpacked information :
  - Overall dimensions (without handle) : L.750 x D.460 x H.927 mm.

	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
<b>ROLLUC3S</b>	927	750	460	Red 3020	19

### Black roller chest



- Vertical access model.
- Particularly interesting combination of size and useful.
- Transportable in a vehicle.
- Wheels diameter 125 mm for tireless long distance rolling.
- 2 drawers height dimensions (L x D x H.): 100 x 360 x 300 mm.
- Each drawer is completed with a mobile tray, dimensions (L x D x H): 360 x 148 x 40 mm, for storing small tools.
- 2 compartments dimensions (L x D x H): 440 x 140 x 60 mm.
- Lid interior holds documents or flat items. Large size bin dimensions (L x D x H.): 668 x 443 x 248 mm.
- Padlock clasp (padlock not supplied).
- Ankle protection thanks to the shelved compartment.
- Color : black 9004.

	H [mm]	H1 [mm]	L [mm]	L1 [mm]	L2 [mm]	L3 [mm]	P [mm]	ΔΔ [kg]
<b>2092B</b>	550	100	670	740	252	512	512	28,50



FLUO

Rfid



MOBILE WORKBENCHES

ROLLER CHESTS

# Not just a chest, a mini roller cabinet!



- + Ideal for travelling maintenance.
- + Highly manoeuvrable with high performance wheels.
- + Offers maximum storage space combined with a fixed chest.
- + Overall dimensions (including wheels and worktop): L774 x D546 x H621 mm.
- + Capacity 12 modules.

■ JET+ 4-drawer roller cabinets - 3 modules per drawer



- Ideal for mobile maintenance.
- Retractable handle for travelling.
- Easy handling thanks to its high performance wheels (diameter 125 mm, 2 fixed and 2 castors including one with brake).
- 4 drawers = 12 modules distributed in the 60 and 130 mm high drawers.
- 3 drawers 60 mm high = 9 modules.
- 1 drawer 130 mm high = 3 modules.
- The 200 mm drawers can also be fitted with modules.
- Can be fitted with the JET2.15 and JET2.16 removable partitions - not supplied.
- Acceptable load and useful volume per drawer of M3 versions: - 60 mm drawer: 20 kg - 15 litres. - 130 mm drawer: 25 kg - 30 litres.
- Total load in the drawers: 85 kg.
- High storage capacity: 75 litres.
- Overall dimensions (L x D x H) (wheels and worktop included): 774 x 546 x 621 mm.
- Drawer useful dimensions (L x D x H): 569 x 421 x 60 / 130 mm.



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JET.CR4M3	60/130	569	421	Red 3020	48.5
JET.CR4GM3	60/131	569	421	Black 9004	48.5

ADDITIONAL CHESTS

■ JET+ 4-drawer chest - 3 modules per drawer



- 4 drawers = 12 modules distributed in the 60 and 130 mm drawers: - 3 drawers 60 mm high = 9 modules. - 1 drawer 130 mm high = 3 modules.
- The 200 mm drawers can also be fitted with modules. (can be fitted with the JET2.15 and JET2.16 removable partitions - not supplied).
- Acceptable load and useful volume per drawer of M3 versions: - 60mm drawer: 20 kg - 15 litres. - 130mm drawer: 25 kg - 30 litres.
- Total load in the drawers: 85 kg.
- High storage capacity: 75 litres.
- Total load on the worktop in static position: 500 kg
- Drawer useful size: L.569 x D.421 x H.60 / 130 mm.
- Can be turned in a mobile version with the wheel set CHRONO.C4K2 (handle + 4 wheels)



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JET.C4M3	480	774	546	Red 3020	45.0
JET.C4GM3	480	774	546	Black 9004	45.0

**JET+ 4-drawer chest - 4 modules per drawer**



- 4 drawers = 16 modules distributed in the 60 and 130 mm drawers:
  - 3 drawers 60 mm high = 12 modules.
  - 1 drawer 130 mm high = 4 modules.
- The 200 mm drawers can also be fitted with modules. (can be fitted with the JET2.15 and JET2.16 removable partitions - not supplied).
- Acceptable load and useful volume per drawer of M4 versions:
  - 60 mm drawer: 25 kg - 20 litres.
  - 130 mm drawer: 30 kg - 40 litres.
- Total load in the drawers: 105 kg.
- High storage capacity: 100 litres.
- Total load on the worktop in static position: 600 kg
- Drawer useful size: L.759 x D.421 x H.60 / 130 mm.
- Can be turned in a mobile version with the wheel set CHRONO.C4K2 (handle + 4 wheels).



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JET.C4M4	480	964	546	Red 3020	51.50
JET.C4GM4	480	964	546	Black 9004	51.5


**JET+ 4-drawer chest - 5 modules per drawer**



- 4 drawers = 20 modules distributed in the 60 and 130 mm drawers:
  - 3 drawers 60 mm high = 15 modules.
  - 1 drawer 130 mm high = 5 modules.
- The 200 mm drawers can also be fitted with modules. (can be fitted with the JET2.15 and JET2.16 removable partitions - not supplied).
- Acceptable load and useful volume per drawer of M4 versions:
  - 60 mm drawer: 35 kg - 25 litres.
  - 130 mm drawer: 40 kg - 50 litres.
- Total load in the drawers: 145 kg.
- High storage capacity: 125 litres.
- Total load on the worktop in static position: 700 kg.
- Drawer useful size: L.948 x D.421 x H.60 / 130 mm.
- Can be turned in a mobile version with the wheel set CHRONO.C4K2 (handle + 4 wheels)



ED	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
JET.C4M5	480	1154	546	Red 3020	60.5
JET.C4GM5	480	1154	546	Black 9004	60.5



SERVICE CHESTS

■ Metal 2-drawer chest



- 2 drawers fitted with aluminium handles and auto-return slides.
- 1 drawer, height 40mm, (W x D) 570 x 270mm
- 1 drawer, height 119 mm, (W x D) 570 x 270mm.
- Centralized lock system.

	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
BT.C2TA	293	670	345	Red 3020	16.5

■ Metal 3-drawer chest



- 3 drawers fitted with aluminium handles and auto-return slides.
- 3 drawers, height 65 mm, (W x D) 570 x 270mm.
- 1 upper compartment height 100 mm, (W x D) 509.5 x 224mm,
- Centralized lock system.
- Closing the cover blocks the drawers in the closed position.
- 2 lateral handles.

	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
BT.C3TA	383	663	335	Red 3020	23

■ Metal 4-drawer chest



- 4 drawers fitted with aluminium handles and auto-return slides.
- 3 drawers, height 50 mm, (W x D) 570 x 270 mm.
- 1 drawer, height 125 mm, (W x D) 570 x 270 mm.
- 1 upper compartment, 600 x 280 x 70mm.
- Centralized lock system.
- Closing the cover blocks the drawers in the closed position
- 2 lateral handles.

	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
BT.C4TA	438	664	336	27

■ Metal 6-drawer chest



- 6 drawers fitted with aluminium handles and auto-return slides.
- 3 drawers, height 40 mm, (W x D) 169.5 x 271.5mm.
- 2 drawers, height 40 mm, (W x D) 571.5 x 271.5mm.
- 1 drawer, height 119 mm, (W x D) 571.5 x 271.5mm.
- 1 upper compartment, 600 x 280 x 70mm.
- Centralized lock system.
- Closing the cover blocks the drawers in the closed position.
- 2 lateral handles.
- Overall dimensions (W x D x H) : 663 x 335 x 438mm.

	H [mm]	L [mm]	P [mm]	Color	ΔΔ [kg]
BT.C6TA	438	663	335	Red 3020	30.5

BI-MATERIAL TOOLBOXES

BT.200 - IDEAL PORTABLE MAINTENANCE



MY MOBILE STORAGE SOLUTION



My Mobile Storage Solution revolutionizes the work organization. The tools are close to hand and heavy loads become easy to move. Time gain, performance and well-being, My Mobile Storage Solution optimizes your work processes:



**Ultra mobile**

- Modular, it carries tools, spare parts or miscellaneous loads.

**Designed for optimum organization**

- Innovative and strong toolboxes with 4 carrying solutions and customizable storage foam compartments on demand.

**Easy to use**

- As it is light, My Mobile Storage Solution follows you effortlessly and keeps your tools handy at all times.

**Modular according to your needs**

- An adaptable tool allowing different configurations to create the perfect combination for your needs.



▪ **Versatile hand truck**

- Supplied with 1 set of mounting brackets for 1 box or 1 basket (BT.200, BT.203, BT.HT1BASKET).
- Additional support set can be purchased as an option (BT.HT1SUP)
- Folding base with secure locking
- Wheels 200 mm for easy travel even on rough terrain.
- Load resistance : 100 kg.



	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BT.HT1</b>	990	550	490	9.5



FLUO

Rfid




BI-MATERIAL TOOLBOXES

■ Bi-material toolbox



- Metal and polypropylene
- Tough polypropylene lid on which you can put your removable tray to have a full access to your tools. (lid maximum load resistance : 5kg)
- Organized storage :
  - 2 lateral racks for screwdrivers and wrenches.
  - 1 compartmentalized removable tray (L362xD232xH80mm).
  - 1 dedicated handsaw location.
- 4 ways of carrying :
  - 1 retractable top handle on the lid
  - One adjustable cushioned shoulder. strap. Detachable, it can be used for the other boxes of the range.
  - 2 Lateral handles.
  - Handtruck BT.HT1. Easy and fast to install.
- Stackable.
- Load resistance : 15 kg / volume : 25 liters.
- Inner dimensions: L460xD260xH250.




	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BT.200</b>	294	510	287	5.2

■ Bi-material toolbox - 3 drawers




- Metal and polypropylene.
- Metal frame and polypropylene drawers.
- 3 ways of carrying
  - 2 Lateral handles
  - Handtruck BT.HT1. Easy and fast to install.
  - With the carrying shoulder strap that you can buy in option (ref BT.200STRAP).
- Organized storage
  - 3 polypropylene drawers, height 65 mm, fitted with ball bearing slides, 100% opening
  - Can receive plastic and foam trays from Facom modular system (see F13)
  - Drawers can be divided for small spare parts or components with removable compartments. Supplied with 1 set of 5 partitions : 1 lengthways, 4 cross-ways. Partitions set can also be purchased in option (BT.203-07).
- Stackable.
- Safety latch on each drawer (move the latch toward the left to open the drawer)
- Centralized locking system with padlock (diam 6) – padlock not included.
- Load resistance : 15 kg
- Drawers inner dimensions : L430xD225xH65.



	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BT.203</b>	270	510	270	7.3

## Fitting system

- Set of 2 brackets made of polyamide with fibreglass.
- Allows the installation of BT.200, BT.203 boxes and BT.HT1BASKET on the BT.HT1 hand-truck.
- Load capacity: 30 kg.
- 3 sets maximum .
- Fast fitting by nut/bolt on the hand truck BT.HT1.



Icon	$\Delta\Delta$ [g]
<b>BT.HT1SUP</b>	56

## Steel wire Basket

- 3 mm diameter steel wire.
- Load capacity : 20 kg.
- Dimensions of the bottom of the basket : W 540 x P280 x H 230 mm.



Icon	H [mm]	L [mm]	P [mm]	$\Delta\Delta$ [kg]
<b>BT.HT1BASKET</b>	230	627	370	2.4

## Carrying strap

- One adjustable cushioned shoulder strap.
- Compatible with BT.200 and BT.203 boxes.
- Quick assembly and disassembly thanks to the dedicated attachment loops .
- Adjustable up to 1270 mm.



Icon	$\Delta\Delta$ [g]
<b>BT.200STRAP</b>	152



ROLLER CASES

FLYCASE - MOBILE STORAGE

**Sturdy**

- In shock-resistant injected polypropylene.
- Reinforced angles for high durability.
- Stainless steel hinge angle, resists to corrosion.



**Sealed**

- One-piece fitted sealing gasket: protects the content from outside aggressions.
- Minimum gap clasps, 100% sealed to dust and water.

**Modular**

- Adaptable to all types of tool sets thanks to the foam module on demand program.
- Stackable.
- Several padlock clasps.
- Customizable identification plate.

**Easy to transport**

- Ergonomic telescopic handle for higher comfort of use.
- Handles on both sides for easy handling.
- Ultra strong wheels.
- Depressurizing valve.



Sealed roller chest



**IP67 STANAG 4280 DEF STAN 81-41**

- High density injected polypropylene resistant to extreme conditions of use. Suitable for Military & aerospace use.
- Totally sealed and resists to shock, dust and industrial fluids.
- Several padlock clasps available.
- Stainless steel hinge pins.
- Gap-free clasps and sealing gasket.
- Resists pressure differences. Manual depressurizing valve.
- Handle designed for maximum comfort.
- Temperature tolerance: -33°/+90°.
- Telescopic handle and side handles for easier use.
- Stackable.
- Customizable identification plate.
- Inner dimensions (LxWxD): 517x277x217 mm.

	L [mm]	I [mm]	P [mm]	ΔΔ [kg]
<b>BV.FC1</b>	546	347	247	6.540



Sealed roller chest - L 627 mm

IP67 STANAG 4280 DEF STAN 81-41 MIL-STD 810F

- High density injected polypropylene resistant to extreme conditions of use. Suitable for Military & aerospace use.
- Totally sealed and resists to shock, dust and industrial fluids.
- Several padlock clasps available.
- Stainless steel hinge pins.
- Gap-free clasps and sealing gasket.
- Resists pressure differences. Manual depressurizing valve.
- Handle designed for maximum comfort.
- Temperature tolerance: -33°/+90°.
- Telescopic handle and side handles for easier use.
- Stackable.
- Customizable identification plate.
- Inner dimensions (LxWxD): 538x405x250 mm.



SE	L [mm]	I [mm]	P [mm]	ΔΔ [kg]
BV.FC2	627	475	292	9,950

Sealed roller chest - L 670 mm

IP67 STANAG 4280 DEF STAN 81-41 MIL-STD 810F

- High density injected polypropylene resistant to extreme conditions of use. Suitable for Military & aerospace use.
- Totally sealed and resists to shock, dust and industrial fluids.
- Several padlock clasps available.
- Stainless steel hinge pins.
- Gap-free clasps and sealing gasket.
- Resists pressure differences. Manual depressurizing valve.
- Handle designed for maximum comfort.
- Temperature tolerance: -33°/+90°.
- Telescopic handle and side handles for easier use.
- Stackable.
- Customizable identification plate.
- Inner dimensions (LxWxD): 580x440x330 mm.



SE	L [mm]	I [mm]	P [mm]	ΔΔ [kg]
BV.FC3	670	510	372	12,320

Sealed roller tool chest

- High density injected polypropylene resistant to extreme conditions of use. Suitable for Military & aerospace use.
- Totally sealed and resists to shock, dust and industrial fluids.
- Several padlock clasps available.
- Stainless steel hinge pins.
- Clasps easy to use.
- Resists pressure differences.
- 2 lateral handles & telescopic handle.
- Temperature tolerance: -33°/+90°.
- Customizable identification plate.
- 4 60mm high drawers + worktop
- Tools accessible from the front or the top.



SE	L [mm]	I [mm]	P [mm]	ΔΔ [kg]
BV.FC4S	581	381	455	14



FLUO

Rfid



SELECTION GUIDE

# Choosing a case

FACOM cases are of sturdy design for carrying heavy loads and are laid out in such a way as to optimise the available storage space. All cases feature a keylock for the safety of your tools. Protect your back, reduce fatigue. Wheeled cases: most FACOM cases are compatible with the "FACOM case trolley" or are fitted as standard with wheels.

A case to suit every need:



	Hand-held	Roller cases
Standard	-	 <b>BV.21TR1</b>
Heavy-duty	 <b>BV.51A:</b> rack tool holders <b>BV.51APR:</b> pouch tool storage	-
Seal tight	-	 <b>BV.FC1</b>
Large capacity	-	 <b>BV.61A</b>
Leather	 <b>BV.7A:</b> large <b>BV.5A:</b> with drawers	-

**ELECTRICAL SERVICE CASES**

**Technicians case**

- Tool storage racks (8) with rubber holding straps distributed on 4 storage surfaces.
- 1 document holder in the cover.
- Cover lockable in open position.
- Locking by numbered key (20 different lock numbers on special order).
- Bi-material handle.
- Polypropylene antishock shell.
- Anti-slide rubber feet.
- Dimensions of the 5 partitions:
  - 1 partition 315 mm x 65 mm.
  - 2 partitions 185 mm x 65 mm.
  - 2 partitions 125 mm x 65 mm.
- Bin dimension (L x D x H): 435 x 315 x 65 mm.
- Interior dimensions (L x D x H): 470x 345 x 190 mm.



🔧	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BV.51A</b>	205	486	430	6.1

**Technicians case + additional panels**

- Identical to model BV.51A, but with additional internal storage panels.
- 4 tool holder faces.
- Tool storage racks (8) with rubber holding straps distributed on 4 storage surfaces.
- 1 document holder in the cover.
- Cover lockable in open position.
- Locking by numbered key (20 different lock numbers on special order).
- Bi-material handle.
- Polypropylene antishock shell.
- Anti-slide rubber feet.
- Dimensions of the 5 partitions:
  - 1 partition 315 mm x 65 mm.
  - 2 partitions 185 mm x 65 mm.
  - 2 partitions 125 mm x 65 mm.
- Bin dimension (L x D x H): 435 x 315 x 65 mm.
- Interior dimensions (L x D x H): 470 x 345 x 190 mm.



🔧	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BV.51APR</b>	205	486	430	5.3

**Set of 3 plastic boxes**



- 3 boxes to store small parts with 3 different types of partition.

🔧	H [mm]	L [mm]	I [mm]	ΔΔ [g]
<b>BV.21BP</b>	26	165	110	252

**Foam bin divider**



- Dimensions (L x W x H): 490 x 345 x 35 mm.

🔧	ΔΔ [g]
<b>BV.21M</b>	124



FLUO

Rfid



ROLLER CASES

■ Fitters roller container case



- High Density Polyethylene (HDPE).
- Locking and folding built-in trolley system.
- 2 removable separator pages for optimised and organised storage.
- 1 large size bin for cumbersome tools and/or spare parts.
- 2 handles for 2 carrying solutions.
- Stability studs.
- 3 boxes to store small parts.
- Protection reinforcements.
- Large size wheels.
- Keylocks (20 different lock numbers on special order).
- Max load: 30 kg.
- Length opened: 850 mm.
- Interior dimensions (L x W x H): 470 x 390 x 347 mm.



	H [mm]	L [mm]	P [mm]	ΔΔ [kg]
<b>BV.61A</b>	365	550	440	8.5

■ Fitters service roller case



- Locking and folding steel trolley system.
- Modular storage of tools by sealed partition between compartments.
- Bin separation foam securing the tools during transport and used for knee protection.
- 2 small parts storage boxes.
- TSA Lock
- Max load: 25 kg.
- Interior dimensions (L x W x H): 500 x 360 x 165 mm.
- Overall dimensions (L x W x H): 530 x 390 x 180 mm, excluding trolley system.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BV.21TR1</b>	180	530	390	5.2

LEATHER CASES

LEATHER CASES

Strong leather and convenient plastics for long life and user comfort.



Leather fold-down front case

- 1 removable double-sided tilting panel 400 x 280 mm, comprising:
  - One tool holder panel and one panel with storage for A4 documents or miscellaneous products.
  - A tool holder back panel with 11 patterns.
  - One tool holder tilting face.
  - Case bottom in galvanised metal sheet.
- Ground isolating feet.




	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BV.7A</b>	185	445	330	3,8

Leather drawer case

- Sliding drawers including one fitted with 4 bins with 1 to 8 compartments possible, providing instant access to the contents dimensions (L x W x H): 375 x 116 x 40 mm.
- Removable bin with transport handle.
- Tool holder tilt back with 22 patterns.



	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BV.5A</b>	215	425	320	4,6



"LIGHT MAINTENANCE" SOFT CASES

Soft case



- This lightweight "light servicing" case can be fitted with different tool or equipment selections.
- Material resistant to hydrocarbons.
- Closed with a 2-slider zips to fit a padlock (padlock not supplied).
- An A4 document holder storage.
- 29 tool slots and a case or measuring device compartment, dimensions (L x W x H): 220 x 120 x 50 mm max.
- Stiff sides hold tools in position.
- Useful load: 10 kg.



FACOM	H [mm]	L [mm]	I [mm]	ΔΔ [g]
<b>BV.16</b>	75	440	315	920

Flexible case with 4 flaps




- This "light servicing" case offers universal storage.
- 4 different surfaces planned for storing the tools (+ 40 tools).
- 1 side pocket with zipper and flap to protect documents.
- Full opening thanks to the 2-slider zippers.
- Padlock clasp (padlock not supplied).
- Exterior sides in anti impact and hydrocarbon resistant material.
- Supplied without tools.



FACOM	H [mm]	L [mm]	I [mm]	ΔΔ [kg]
<b>BS.12</b>	130	430	320	1.9

**"LIGHT MAINTENANCE" ROLL BAGS**

■ **Nylon roll bag - 4 compartments**



- Material: nylon.
- 4 large PVC compartments.
- Resistant to chemical agents and hydrocarbons.
- Practical: folding.
- Safety: closing by clipped strap.
- Comfort: locations designed for the tool format.




	H [mm]	L [mm]	ΔΔ [g]
<b>N.38A-4B</b>	530	310	166

■ **Nylon roll bag - 6 compartments**



- Material: nylon.
- 3 small and large PVC compartments.
- Resistant to chemical agents and hydrocarbons.
- Practical: folding.
- Safety: closing by clipped strap.
- Comfort: locations designed for the tool format.



	H [mm]	L [mm]	ΔΔ [g]
<b>N.38A-6F</b>	520	360	181


■ **Nylon roll bag - 10 compartments**



- Material: nylon.
- 3 small, 1 medium and 6 large PVC compartments.
- Resistant to chemical agents and hydrocarbons.
- Practical: folding.
- Safety: closing by clipped strap.
- Comfort: locations designed for the tool format.

	H [mm]	L [mm]	ΔΔ [g]
<b>N.38A-10C</b>	735	320	223

■ **Nylon roll bag - 12 compartments**



- Material: nylon.
- 5 small and 7 large PVC compartments.
- Resistant to chemical agents and hydrocarbons.
- Practical: folding.
- Safety: closing by clipped strap.
- Comfort: locations designed for the tool format.

	H [mm]	L [mm]	ΔΔ [g]
<b>N.38A-12C</b>	800	330	258

